




**Self-Aligning  
Cast Iron Take-Up  
Bearing Units**




Shaft Diameter		Housing Dimensions								Pressing Group	Basic Housing Unit	Variants		
		L	L1	H2	H3	N	A	A1	A2			A	EC	DEC
mm	Inch	mm												
20	3/4	95.5	62	32	76	22.5	36	27.5	13.5	2	ST3/4	*	*	*
		95.5	62	32	76	22.5	36	27.5	13.5	2	ST20	*	*	*
25	7/8	98	62	32	76	22.5	36	27.5	13.5	3	ST7/8		*	*
	15/16	98	62	32	76	22.5	36	27.5	13.5	3	ST15/16		*	*
30		98	62	32	76	22.5	36	27.5	13.5	3	ST25	*	*	*
	1	115.5	71.7	37.5	89	22.5	36.5	30	13.5	1	MST25			
35		98	62	32	76	22.5	36	27.5	13.5	3	ST1	*	*	*
	1 1/8	115.5	71.7	37.5	89	22.5	36.5	30	13.5	1	MST1			
40		115.5	71.7	37.5	89	22.5	36.5	30	13.5	4	ST11/8		*	*
	1 3/16	115.5	71.7	37.5	89	22.5	36.5	30	13.5	4	ST30	*	*	*
45		124	75.5	37.5	89	22.5	36.5	30	13.5	2	MST30			
	1 1/4	115.5	71.7	37.5	89	22.5	36.5	30	13.5	4	ST13/16		*	*
50		124	75.5	37.5	89	22.5	36.5	30	13.5	2	MST13/16			
	1 3/8	115.5	71.7	37.5	89	22.5	36.5	30	13.5	4	ST11/4R	*	*	*
55		124	75.5	37.5	89	22.5	36.5	30	13.5	5	ST11/4	*	*	*
	1 7/16	143.5	89.2	49.5	101	29	49.5	37	17.5	5	ST13/8		*	*
60		143.5	89.2	49.5	101	29	49.5	37	17.5	3	MST13/8			
	1 1/2	124	75.5	37.5	89	22.5	36.5	30	13.5	5	ST35	*	*	*
65		143.5	89.2	9.5	101	29	49.5	37	17.5	3	MST35			
	1 5/8	124	75.5	37.5	89	22.5	36.5	30	13.5	5	ST17/16		*	*
70		143.5	89.2	49.5	101	29	49.5	37	17.5	3	MST17/8			
	1 1/2	143.5	89.2	49.5	101.0	29	49.5	37	17.5	6	ST11/2	*	*	*
75		147	89.2	49.5	101	29	49.5	37	17.5	4	MST11/2			
	1 3/4	143.5	89.2	49.5	101	29	49.5	37	17.5	6	ST40	*	*	*
80		147	89.2	49.5	101	29	49.5	37	17.5	4	MST40			
	1 5/8	147	89.2	49.5	101	29	49.5	37	17.5	7	ST15/8		*	*
85		147	89.2	49.5	101	29	49.5	37	17.5	7	ST111/16		*	*
	1 11/16	151	90.5	49.5	101	29	49.5	37	17.5	5	MST111/16			*
90		147	89.2	49.5	101	29	49.5	37	17.5	7	ST13/4	*	*	*
	1 3/4	151	90.5	49.5	101	29	49.5	37	17.5	5	MST13/4			
95		147	89.2	49.5	101	29	49.5	37	17.5	7	ST45	*	*	*
	1 7/8	151	90.5	49.5	101	29	49.5	37	17.5	5	MST45			
100		151	90.5	49.5	101	29	49.5	37	17.5	8	ST17/8		*	*
	1 7/8	182	114	64	130	35	63.5	46.5	27	6	MST17/8			

If a dimension is critical to your application please contact our sales department for confirmation.  
Please note : errors and omissions excepted.



**Self-Aligning  
Cast Iron Take-Up  
Bearing Units**




Shaft Diameter		Housing Dimensions								Pressing Group	Basic Housing Unit	Variants		
		L	L1	H2	H3	N	A	A1	A2			A	EC	DEC
mm	Inch	mm												
50	1 15/16	151	90.5	49.5	101	29	49.5	37	17.5	8	ST115/16		*	*
		182	114	64	130	35	63.5	46.5	27	6	MST115/16			
	2	151	90.5	49.5	101	29	49.5	37	17.5	8	ST50	*	*	*
		182	114	64	130	35	63.5	46.5	27	6	MST50			
55	2 1/8	151	90.5	49.5	101	29	49.5	37	17.5	8	ST2R	*		
		182	114	64	130	35	63.5	46.5	27	9	ST2			*
	2 3/16	182	114	64	130	35	63.5	46.5	27	9	ST21/8			*
		192	119	64	130	35	63.5	46.5	27	9	ST55			*
60	2 1/4	182	114	64	130	35	63.5	46.5	27	7	MST55			
		192	119	64	130	35	63.5	46.5	27	7	MST23/16			*
	2 3/8	182	114	64	130	35	63.5	46.5	27	9	ST23/16			*
		192	119	64	130	35	63.5	46.5	27	10	ST21/4			*
65	2 7/16	192	119	64	130	35	63.5	46.5	27	10	ST60			*
		222.5	137.5	70	150.8	42	70	50.5	27	8	MST60			
	2 1/2	192	119	64	130	35	63.5	46.5	27	10	ST23/8			*
		222.5	137.5	70	150.8	42	70	50.5	27	10	ST27/16			*
70	2 11/16	222.5	137.5	70	150.8	42	70	50.5	27	8	MST27/16			
		222.5	137.5	70	150.8	42	70	50.5	27	11	ST21/2			*
	2 3/4	222.5	137.5	70	150.8	42	70	50.5	27	11	ST65			*
		222.5	137.5	70	150.8	42	70	50.5	27	9	MST65			
75	2 7/8	222.5	137.5	70	150.8	42	70	50.5	27	11	ST211/16			*
		222.5	137.5	70	150.8	42	70	50.5	27	9	MST211/16			
	2 15/16	222.5	137.5	70	150.8	42	70	50.5	27	12	ST23/4			*
		222.5	137.5	70	150.8	42	70	50.5	27	11	ST70			*
80	3	222.5	137.5	70	150.8	42	70	50.5	27	9	MST70			
		222.5	137.5	70	150.8	42	70	50.5	27	12	ST27/8			*
	3 3/16	222.5	137.5	70	150.8	42	70	50.5	27	12	ST215/16			*
		235	139.5	70	165.1	42	70	54	27	10	MST215/16			
85	3 1/2	222.5	137.5	70	150.8	42	70	50.5	27	12	ST75			*
		235	139.5	70	165.1	42	70	54	27	10	MST75			
	3 5/8	235	139.5	70	165.1	42	70	54	27	13	ST3			
		235	139.5	70	165.1	42	70	54	27	13	ST80			
90	3 7/8	260.4	161.9	73	173	47.6	79.4	68.3	46.05	11	MST80			
		235	139.5	70	165.1	42	70	54	27	13	ST33/16			

If a dimension is critical to your application please contact our sales department for confirmation.  
Please note : errors and omissions excepted.



**Self-Aligning  
Cast Iron Take-Up  
Bearing Units**



Shaft Diameter		Housing Dimensions								Pressing Group	Basic Housing Unit	Varients		
		L	L1	H2	H3	N	A	A1	A2			A	EC	DEC
mm	Inch	mm												
	3 3/16	260.4	161.9	73	173	47.6	79.4	68.3	46.05	11	MST33/16			
	3 1/4	260.4	161.9	73.0	173	47.6	79.4	68.3	46.05	14	ST31/4			
85		260.4	161.9	73	173	47.6	79.4	68.3	46.05	14	ST85			
		266.7	165.1	73	190.5	47.6	79.4	68.3	46.05	12	MST85			
	3 3/8	260.4	161.9	73	173	47.6	79.4	68.3	46.05	14	ST33/8			
	3 7/16	260.4	161.9	73	173	47.6	79.4	68.3	46.05	14	ST37/16			
		266.7	165.1	73	190.5	47.6	79.4	68.3	46.05	12	MST37/16			
	3 1/2	266.7	165.1	73	190.5	47.6	79.4	68.3	46.05	12	MST31/2			
90		266.7	165.1	73	190.5	47.6	79.4	68.3	46.05	12	MST90			
95		317.5	190.5	85.7	235	54	98.4	82.6	55.55	13	MST95			
100		317.5	190.5	85.7	235	54	98.4	82.6	55.55	13	MST100			
	3 15/16	317.5	190.5	85.7	235	54	98.4	82.6	55.55	13	MST315/16			
	4	317.5	190.5	85.7	235	54	98.4	82.6	55.55	13	MST4			

If a dimension is critical to your application please contact our sales department for confirmation.  
Please note : errors and omissions excepted.