


ASHLEY POWER LTD.  
580-586 ASHLEY  
ROAD  
PARKSTONE  
POOLE  
DORSET, BH14 0AQ



## OIL SEAL CATALOGUE



**ASHLEY POWER**



# OIL SEALS





**ASHLEY POWER**



# Oil Seals Contents

Oil Seals: Metric.....P4

Oil Seals: Imperial.....P9

Please note: At Ashley Power we take care to ensure that all information is correct at time of printing however some errors and omissions excepted.



## Oil Seals (Metric)

Shaft Dia.	Housing Dia. (O.D.)	Width Range
4	8	2
4	11	6
4	12	6
5	9	2
5	10	2
5	15	6
5	16	7
5	22	8
6	10	2
6	12	2
6	16	4-7
6	19	6-7
6	22	7-8
7	11	2
7	14	2-4
7	16	4-7
7	22	6-7
8	12	3
8	15	3
8	16	5-7
8	18	5-7
8	20	7-8
8	22	6-8
8	24	7
9	13	3
9	16	3
9	22	7-10
9	24	7
9	26	7
10	14	3
10	16	4-7
10	17	3-5
10	18	5-7
10	19	7
10	22	7-8
10	24	7
10	26	7
11	17	4

Shaft Dia.	Housing Dia. (O.D.)	Width Range
11	22	7-8
11	26	7
12	16	3
12	18	3
12	19	3
12	22	4-8
12	24	6-7
12	25	5-8
12	26	7-8
12	28	7
12	30	7-10
12	32	5-10
13	19	3
13	26	5-7
13	30	7-10
14	20	3
14	22	3-4
14	24	6-7
14	25	5-7
14	26	7
14	28	7
14	30	7-10
14	32	7-10
14	35	7-10
15	21	3-4
15	23	3
15	24	5-7
15	25	5-7
15	26	4-7
15	28	6-9
15	30	4-10
15	32	5-10
15	35	5-10
15	40	7-10
16	22	3-4
16	24	3-7
16	25	3
16	28	6-7

Shaft Dia.	Housing Dia. (O.D.)	Width Range
16	30	6-10
16	32	7-10
16	35	7-10
16	40	7-10
17	23	3
17	25	3-4
17	26	6
17	28	6-7
17	30	7-10
17	32	6-10
17	34	4
17	35	6-10
17	40	6-10
17	47	7-10
18	24	3-4
18	26	4-6
18	28	7-8
18	30	7-8
18	32	7-8
18	35	7-10
18	40	7-10
19	27	4-6
19	30	5-8
19	32	6-10
19	35	6-10
19	40	6-10
19	26	4
20	28	4-6
20	30	5-10
20	32	5-10
20	33	8-10
20	35	6-10
20	36	7
20	37	6-10
20	38	7-10
20	40	6-10
20	42	6-10
20	45	7-10

For more sizes please contact our sales team  
all dimensions in mm unless stated otherwise  
If a dimension is critical to your application please contact our sales department for confirmation.  
Please note : errors and omissions excepted.



## Oil Seals (Metric)

Shaft Dia.	Housing Dia. (O.D.)	Width Range
20	47	7-10
20	52	7-10
21	29	4
22	28	4-5
22	30	4
22	32	6-7
22	35	6-10
22	38	7-8
22	40	7-12
22	42	7-10
22	45	7-8
22	47	7-10
22	50	8-10
23	40	8-10
24	32	4
24	35	7
24	36	6-10
24	37	7
24	40	7-10
24	45	8
24	47	7-10
24	50	8-10
25	32	4
25	33	4-6
25	35	4-8
25	36	7
25	37	5-8
25	38	6-7
25	40	5-10
25	42	6-12
25	45	7-10
25	46	6-8
25	47	6-10
25	50	8-12
25	52	7-12
25	62	7-12
26	34	4
26	35	7

Shaft Dia.	Housing Dia. (O.D.)	Width Range
26	37	7
26	40	8-10
26	42	7-10
26	47	7-10
26	52	8-12
27	37	7
27	41	8-10
27	47	6-11
27	50	8-12
28	35	4
28	37	4
28	38	7
28	40	7-10
28	42	7-10
28	47	5-10
28	48	8-10
28	50	7-10
28	52	7-12
28	62	9-12
29	38	4
30	37	4
30	40	4-10
30	42	5-10
30	44	7-10
30	45	7-10
30	47	6-10
30	48	8-10
30	50	7-12
30	52	7-12
30	55	7-12
30	56	8-15
30	60	8-10
30	62	6-12
31	72	8-10
32	47	7-10
32	42	4-8
32	45	4-8
32	47	7-12

Shaft Dia.	Housing Dia. (O.D.)	Width Range
32	50	7-12
32	52	5-12
32	55	8-12
32	56	8-12
33	45	7
33	50	6-10
33	52	6-10
34	45	7
34	46	8-10
34	50	8-10
34	52	7-10
34	58	10-13
34	62	8-10
35	42	4
35	45	4-8
35	47	5-10
35	50	7-12
35	52	7-12
35	55	6-12
35	56	8-12
35	58	8-13
35	60	8-12
35	62	5-12
35	65	8-12
35	72	8-12
35	80	8-13
36	47	7
36	50	6-10
36	52	7-10
36	54	7-8
36	56	10-12
36	58	8-10
36	62	7-12
36	68	8-10
37	47	4-8
37	50	10
37	62	7-12
38	48	4

For more sizes please contact our sales team  
 all dimensions in mm unless stated otherwise  
 If a dimension is critical to your application please contact our sales department for confirmation.  
 Please note : errors and omissions excepted.



## Oil Seals (Metric)

Shaft Dia.	Housing Dia. (O.D.)	Width Range
38	50	7
38	52	6-10
38	54	6-10
38	55	7-12
38	56	8-12
38	60	8-10
38	62	7-12
38	65	8-12
38	72	8-12
40	47	4
40	50	4-8
40	52	5-12
40	55	6-12
40	56	8-12
40	58	8-12
40	60	7-13
40	62	7-12
40	65	8-12
40	68	6-12
40	70	8-12
40	72	7-12
40	80	8-13
41	62	8-10
42	52	4-8
42	55	6-9
42	56	7-8
42	58	7-10
42	60	7-12
42	62	6-12
42	65	8-12
42	72	8-12
43	53	4
43	60	8-10
43	75	10
44	60	8-12
44	62	8-12
44	65	8-10
44	72	8-12

Shaft Dia.	Housing Dia. (O.D.)	Width Range
45	52	4
45	55	4-8
45	58	7-9
45	60	7-12
45	62	7-12
45	65	8-12
45	68	8-12
45	70	8-12
45	72	7-12
45	75	6-12
45	78	10-13
45	80	8-13
45	85	8-13
46	65	8-10
46	72	8-10
47	65	8-12
47	72	8-12
48	62	7-10
48	65	7-12
48	68	8-12
48	70	8-12
48	72	7-12
48	80	8-13
50	58	4
50	62	5-10
50	65	7-10
50	68	8-14
50	70	8-14
50	72	8-12
50	75	8-12
50	78	8-13
50	80	8-13
50	85	6-13
50	90	8-13
51	72	10
52	68	7-12
52	69	10-12
52	72	8-12

Shaft Dia.	Housing Dia. (O.D.)	Width Range
52	80	10-13
52	85	8-13
53	68	10
54	80	10-13
54	85	10-15
55	68	8
55	70	8-10
55	72	8-12
55	75	8-12
55	78	9-13
55	80	8-13
55	85	8-13
55	90	8-13
56	70	8
56	72	7-10
56	80	8-13
56	85	8-10
57	90	13
58	72	8-10
58	75	8-12
58	78	8-13
58	80	8-13
58	85	8-13
58	90	8-13
60	72	8
60	75	8
60	78	9-13
60	80	7-13
60	85	8-13
60	90	8-13
60	95	10-13
60	100	10
60	110	8-13
61	75	8
62	75	10-13
62	80	8-12
62	85	8-13
62	90	8-13

For more sizes please contact our sales team  
all dimensions in mm unless stated otherwise  
If a dimension is critical to your application please contact our sales department for confirmation.  
Please note : errors and omissions excepted.



## Oil Seals (Metric)

Shaft Dia.	Housing Dia. (O.D.)	Width Range
62	100	10-13
63	85	8-13
63	88	8-10
63	90	8-12
64	80	8-13
64	85	10-13
64	90	10-13
65	80	8
65	85	8-13
65	90	8-15
65	100	8-13
66	90	10-13
67	80	10
67	85	10
68	85	8-10
68	90	8-13
68	100	10-12
70	85	7-8
70	90	7-13
70	92	11
70	95	10-13
70	100	6-13
70	105	10-13
70	110	8-13
72	84	7
72	90	8-13
72	95	10-13
72	100	10-13
75	90	8-12
75	95	8-13
75	100	10-13
75	105	10-13
75	110	10-13
78	100	10-13
78	110	10-13
80	100	10-13
80	105	10-13
80	110	10-13

Shaft Dia.	Housing Dia. (O.D.)	Width Range
80	120	10-13
80	125	10-13
82	105	12-13
82	110	12-13
84	110	12
85	100	9-13
85	105	10-13
85	110	10-15
85	115	12-13
85	120	10-15
85	130	10-13
87	110	13
88	110	10-13
88	115	12
90	110	8-15
90	115	9-13
90	120	12-15
90	130	12-13
92	120	12-13
95	110	9-12
95	115	12-13
95	120	12-15
95	125	10-15
95	130	12-13
98	120	12-14
98	125	13
98	128	10
100	115	9
100	120	8-15
100	125	12-15
100	130	10-15
100	140	12-13
100	150	12-13
104	125	10-12
105	125	12-13
105	130	12-15
105	140	12-15
110	128	9

Shaft Dia.	Housing Dia. (O.D.)	Width Range
110	130	12-15
110	140	12-15
110	150	12-15
112	140	9-13
115	135	12-13
115	140	12-15
115	150	12-15
118	150	15
120	140	7-13
120	150	12-15
120*	160	12-15
122	150	13-15
125	150	12-15
125	160	12-15
128	150	13-15
130	160	12-15
130	170	12-15
132	160	13-15
135	160	12-15
135	165	12-15
135	170	12-15
140	160	12-15
140	165	15
140	170	12-15
140	180	15
145	165	13-15
145	170	13-15
145	175	13-15
145	180	13-15
150	170	15
150	180	12-15
150	190	12-15
155	174	12
155	180	15
155	190	13-15
160	180	15
160	185	10
160	190	13-15

For more sizes please contact our sales team  
 all dimensions in mm unless stated otherwise  
 If a dimension is critical to your application please contact our sales department for confirmation.  
 Please note : errors and omissions excepted.



## Oil Seals (Metric)

Shaft Dia.	Housing Dia. (O.D.)	Width Range
160	200	12-15
165	190	13-15
165	200	15
170	190	13-15
170	200	12-15
170	215	16
180	210	15
190	220	15-16
200	230	15-16
210	240	15
220	250	11-16
230	260	15
240	270	15-16
250	280	15-16
175	200	15
175	215	16
180	200	15
180	215	15-16
180	220	15-16
185	210	13
190	215	15-16
190	230	16
200	250	15
205	230	15-16
210	250	15-20
215	240	12
218	250	16
230	270	15-16
230	280	15-16
240	280	15-16
260	290	16
260	300	16-20
280	310	15-16
280	320	18-20
300	340	16-20
310	350	18
320	360	18-20
340	372	16

Shaft Dia.	Housing Dia. (O.D.)	Width Range
340	380	18-20
350	380	16
360	400	18-20
370	410	15-18
380	420	20
390	430	16-18
400	440	20
420	460	20
440	480	20
480	520	20

For more sizes please contact our sales team  
all dimensions in mm unless stated otherwise  
If a dimension is critical to your application please contact our sales department for confirmation.  
Please note : errors and omissions excepted.





## Oil Seals (Imperial)

Shaft Dia.	Housing Dia. (O.D.)	Width Range	Shaft Dia.	Housing Dia. (O.D.)	Width Range	Shaft Dia.	Housing Dia. (O.D.)	Width Range
0-250	0-750	0-250-0-375	0-875	1-500	0.250-0.375	1-250	2-000	0.187-500
0-312	0-750	"	0-875	1-625	"	1-250	2-062	"
0-312	0-875	"	0-875	1-750	0.125-0.500	1-250	2-125	"
0-375	0-750	"	0-937	1-500	"	1-250	2-187	"
0-375	0-875	"	0-937	1-625	"	1-250	2-250	"
0-375	1-000	"	0-937	1-750	"	1-250	2-375	"
0-437	0-875	"	1-000	1-250	"	1-312	1-875	"
0-437	1-000	"	1-000	1-375	"	1-312	2-000	"
0-437	1-125	"	1-000	1-437	"	1-312	2-125	"
0-500	0-875	"	1-000	1-500	"	1-375	1-875	"
0-500	1-000	"	1-000	1-562	"	1-375	2-000	"
0-500	1-125	"	1-000	1-625	"	1-375	2-062	"
0-562	1-000	"	1-000	1-750	"	1-375	2-125	"
0-562	1-125	"	1-000	1-875	"	1-375	2-250	"
0-562	1-250	"	1-000	1-937	"	1-375	2-375	"
0-625	0-937	"	1-000	2-000	"	1-375	2-500	"
0-625	1-000	"	1-062	1-500	"	1-437	2-125	"
0-625	1-125	"	1-062	1-625	"	1-437	2-250	"
0-625	1-250	"	1-062	1-750	"	1-437	2-500	"
0-625	1-312	"	1-062	1-875	"	1-500	1-875	"
0-625	1-375	"	1-062	2-000	"	1-500	2-000	"
0-625	1-500	"	1-125	1-500	"	1-500	2-062	"
0-650	1-500	"	1-125	1-562	"	1-500	2-125	"
0-687	1-062	"	1-125	1-625	"	1-500	2-187	"
0-687	1-125	"	1-125	1-750	"	1-500	2-250	"
0-687	1-250	"	1-125	1-875	"	1-500	2-375	"
0-687	1-375	"	1-125	2-000	"	1-500	2-500	"
0-75	1-000	"	1-125	2-250	"	1-500	2-750	"
0-75	1-125	"	1-187	1-500	"	1-562	2-250	"
0-75	1-187	"	1-187	1-750	"	1-562	2-375	"
0-75	1-250	"	1-187	2-000	"	1-562	2-437	"
0-75	1-375	"	1-187	2-250	"	1-562	2-500	"
0-75	1-500	"	1-250	1-500	"	1-562	2-687	"
0-75	1-625	"	1-250	1-625	0.187-0.500	1-625	2-125	"
0-812	1-187	"	1-250	1-687	"	1-625	2-187	0.250-0.500
0-812	1-375	"	1-250	1-750	"	1-625	2-250	"
0-875	1-250	"	1-250	1-812	"	1-625	2-375	"
0-875	1-375	"	1-250	1-875	"	1-625	2-437	"

For more sizes please contact our sales team

all dimensions in inches unless stated otherwise

If a dimension is critical to your application please contact our sales department for confirmation.

Please note : errors and omissions excepted.



## Oil Seals (Imperial)

Shaft Dia.	Housing Dia. (O.D.)	Width Range	Shaft Dia.	Housing Dia. (O.D.)	Range	Shaft Dia.	Housing Dia. (O.D.)	Width Range
1-625	2-500	0.250-0.500	2-062	2-875	0.250-0.625	2-750	3-500	0.250-0.625
1-625	2-562	"	2-062	3-000	"	2-750	3-625	"
1-625	2-625	"	2-125	2-750	"	2-750	3-750	"
1-625	2-750	"	2-125	2-875	"	2-750	3-875	"
1-625	2-875	"	2-125	3-000	"	2-750	4-000	"
1-687	2-187	"	2-125	3-187	"	2-812	3-625	"
1-687	2-500	"	2-125	3-250	"	2-875	3-625	"
1-687	2-687	"	2-125	3-500	"	2-875	3-750	"
1-687	2-750	"	2-187	3-000	"	2-875	3-875	"
1-750	2-125	"	2-250	2-875	"	2-875	4-000	"
1-750	2-250	"	2-250	3-000	"	2-875	4-500	"
1-750	2-375	"	2-250	3-125	"	2-937	3-750	"
1-750	2-437	"	2-250	3-187	"	3-000	3-750	"
1-750	2-500	"	2-250	3-250	"	3-000	3-875	"
1-750	2-625	"	2-250	3-375	"	3-000	4-000	0.375-0.625
1-750	2-687	"	2-312	3-125	"	3-000	4-125	"
1-750	2-750	"	2-375	3-000	"	3-000	4-375	"
1-750	2-875	"	2-375	3-125	"	3-000	4-500	"
1-750	3-000	"	2-375	3-250	"	3-062	4-125	"
1-812	2-500	"	2-375	3-375	"	3-125	4-000	"
1-812	2-625	"	2-375	3-500	"	3-125	4-125	"
1-875	2-500	"	2-437	3-250	"	3-125	4-250	"
1-875	2-625	"	2-437	3-500	"	3-125	4-500	"
1-875	2-687	"	2-500	3-000	"	3-125	4-750	"
1-875	2-750	"	2-500	3-062	"	3-187	4-250	"
1-875	2-875	"	2-500	3-250	"	3-250	4-000	"
1-875	3-000	"	2-500	3-375	"	3-250	4-250	0.250-0.625
1-875	3-187	"	2-500	3-500	"	3-250	4-500	0.375-0.625
1-937	2-500	0.250-0.625	2-500	3-543	"	3-250	4-750	"
1-937	2-750	"	2-500	3-625	"	3-250	4-875	"
1-937	3-000	"	2-500	3-750	"	3-312	4-375	"
2-000	2-500	"	2-500	3-875	"	3-375	4-125	"
2-000	2-625	"	2-562	3-375	"	3-375	4-375	"
2-000	2-687	"	2-625	3-375	"	3-375	4-500	"
2-000	2-750	"	2-625	3-500	"	3-375	4-625	"
2-000	2-875	"	2-625	3-625	"	3-375	4-750	"
2-000	3-000	"	2-625	3-750	"	3-375	5-000	"
2-000	3-125	"	2-687	3-500	"	3-375	5-250	"

For more sizes please contact our sales team

all dimensions in inches unless stated otherwise

If a dimension is critical to your application please contact our sales department for confirmation.

Please note : errors and omissions excepted.



## Oil Seals (Imperial)

Shaft Dia.	Housing Dia. (O.D.)	Width Range	Shaft Dia.	Housing Dia. (O.D.)	Width Range	Shaft Dia.	Housing Dia. (O.D.)	Width Range
3-437	4-250	0.375-0.625	4-000	5-000	0.375-0.750	4-750	6-250	0.375-0.750
3-437	4-500	"	4-000	5-125	"	4-812	5-875	"
3-437	4-750	"	4-000	5-250	"	4-875	5-875	"
3-500	4-125	"	4-000	5-375	"	4-875	6-250	"
3-500	4-375	"	4-000	5-500	"	4-937	6-000	"
3-500	4-500	"	4-000	5-750	"	5-000	5-750	"
3-500	4-750	"	4-062	5-125	"	5-000	6-000	"
3-500	5-000	0.375-0.750	4-125	5-000	"	5-000	6-250	"
3-500	5-125	"	4-125	5-125	"	5-000	6-500	"
3-500	5-250	"	4-187	5-000	"	5-000	6-750	"
3-500	5-375	"	4-187	5-250	"	5-062	6-125	"
3-562	4-625	"	4-187	5-750	"	5-125	6-125	"
3-625	4-500	"	4-250	5-000	"	5-125	6-250	"
3-625	4-625	"	4-250	5-250	"	5-125	6-375	"
3-625	4-750	"	4-250	5-375	"	5-187	5-937	"
3-625	4-875	"	4-250	5-500	"	5-187	6-250	"
3-625	5-000	"	4-250	5-625	"	5-250	6-000	"
3-625	5-25	"	4-250	5-750	"	5-250	6-250	"
3-687	4-750	"	4-250	6-000	"	5-250	6-500	"
3-687	4-875	"	4-312	5-375	"	5-250	6-750	0.375-0.875
3-687	5-000	"	4-375	5-375	"	5-312	6-375	"
3-687	5-125	"	4-375	6-000	"	5-375	6-250	"
3-687	5-625	"	4-437	5-500	"	5-375	6-375	"
3-750	4-500	"	4-500	5-250	"	5-437	6-500	"
3-750	4-625	"	4-500	5-375	"	5-500	6-250	"
3-750	4-750	"	4-500	5-500	"	5-500	6-500	"
3-750	5-000	"	4-500	5-750	"	5-500	6-750	"
3-750	5-250	"	4-500	6-000	"	5-500	7-000	"
3-812	4-875	"	4-500	6-250	"	5-625	6-625	"
3-875	4-750	"	4-500	6-375	"	5-625	6-375	"
3-875	4-875	"	4-562	5-625	"	5-625	6-500	"
3-875	5-000	"	4-625	5-625	"	5-625	6-625	"
3-875	5-125	"	4-625	6-000	"	5-625	6-750	"
3-875	5-375	"	4-687	5-750	"	5-625	7-000	"
3-875	5-687	"	4-687	6-250	"	5-687	6-750	"
3-937	5-000	"	4-750	5-500	"	5-750	6-750	"
4-000	4-750	"	4-750	5-750	"	5-750	6-875	"
4-000	4-875	"	4-750	6-000	"	5-750	7-000	"

For more sizes please contact our sales team

all dimensions in inches unless stated otherwise

If a dimension is critical to your application please contact our sales department for confirmation.

Please note : errors and omissions excepted.



## Oil Seals (Imperial)

Shaft Dia.	Housing Dia. (O.D.)	Width Range	Shaft Dia.	Housing Dia. (O.D.)	Width Range
5-750	7-500	0.375-0.875	7-625	9-125	0.375-0.875
5-875	6-875	"	7-625	9-500	"
5-937	7-000	"	7-750	8-750	"
6-000	7-000	"	7-750	9-000	"
6-000	7-187	"	7-750	9-250	"
6-000	7-250	"	7-875	9-375	"
6-000	7-500	"	8-000	9-500	"
6-062	7-125	"	8-000	10-000	0.500-1.000
6-125	7-125	"	8-250	9-750	"
6-187	7-250	"	8-250	10-000	"
6-250	7-000	"	8-375	9-875	"
6-250	7-187	"	8-500	10-000	"
6-250	7-250	"	8-500	10-500	"
6-250	7-500	"	8-625	10-125	"
6-312	7-375	"	8-750	10-250	"
6-375	7-375	"	8-750	10-500	"
6-437	7-500	"	8-875	10-375	"
6-500	7-500	"	9-000	10-000	"
6-500	7-750	"	9-000	10-500	"
6-500	8-000	"	9-250	10-750	"
6-500	8-250	"	9-500	11-000	"
6-562	7-625	"	9-625	11-125	"
6-625	7-500	"	9-750	11-125	"
6-625	7-625	"	10-000	11-500	"
6-687	7-500	"	10-250	12-000	"
6-750	7-750	"	10-500	12-000	"
6-750	8-000	"	10-750	11-500	"
6-750	8-250	"	11-000	12-250	0.625-1.250
6-750	8-500	"	11-500	13-000	"
7-000	8-000	"	11-500	13-500	"
7-000	8-125	"	12-000	13-000	"
7-000	8-250	"	12-000	14-000	"
7-000	8-500	"	12-250	14-750	"
7-125	8-625	"	13-000	15-000	"
7-250	8-500	"			
7-250	8-750	"			
7-375	8-875	"			
7-500	9-000	"			

For more sizes please contact our sales team  
all dimensions in inches unless stated otherwise  
If a dimension is critical to your application please contact our sales department for confirmation.  
Please note : errors and omissions excepted.