







**Self-Aligning
Cast Iron
Pillow Blocks**






Shaft Diameter		Housing Dimensions				Bolt Centres				Casting Group	Basic Housing Unit	Varients		
		L	H	H1	H2	max	J min	G	A			A	EC	DEC
mm	Inch	mm												
12	1/2	119	26.97	11	54	91.5	85.5	10	30	1	SL12		*	
		126.5	30.2	14.2	57.2	100.5	85.5	10	30.5	1	NP12		*	
15	5/8	119	26.97	11	54	91.5	85.5	10	30	1	SL15		*	
		126.5	30.2	14.2	57.2	100.5	85.5	10	30.5	1	NP15		*	
16	3/4	119	26.97	11	54	91.5	85.5	10	30	1	SL16		*	
		126.5	30.2	14.2	57.2	100.5	85.5	10	30.5	1	NP16		*	
17	7/8	119	26.97	11	54	91.5	85.5	10	30	1	SL17		*	
		126.5	30.2	14.2	57.2	100.5	85.5	10	30.5	1	NP17		*	
20	1 1/8	127	33.3	14	65.2	100.5	88.5	10	32.5	2	SL3/4	*	*	*
		126.5	31.75	12.5	63.7	100.5	88.5	10	32	2	NP3/4	*	*	*
25	1 1/4	127	33.3	14	65.2	100.5	88.5	10	32.5	2	SL20	*	*	*
		139	33.32	12.8	67.8	110.2	98.2	10	36	3	NP20	*	*	*
30	1 3/8	139	36.5	16	71	112.7	96.8	10	36.5	3	SL7/8		*	*
		139	36.5	16	71	112.7	96.8	10	36.5	3	NP7/8		*	*
35	1 7/8	139	33.32	12.8	67.8	110.2	98.2	10	36	3	SL15/16		*	*
		139	36.5	16	71	112.7	96.8	10	36.5	3	NP15/16		*	*
40	1 7/8	139	33.32	12.8	67.8	110.2	98.2	10	36	3	SL25	*	*	*
		139	36.5	16	71	112.7	96.8	10	36.5	3	NP25	*	*	*
45	1 7/8	160.5	44.45	19.3	84.3	127.5	108.5	12	41.5	1	MP25	*	*	*
		139	33.32	12.8	67.8	110.2	98.2	10	36	3	SL1	*	*	*
50	1 7/8	139	36.5	16	71	112.7	96.8	10	36.5	3	NP1	*	*	*
		160.5	44.45	19.3	84.3	127.5	108.5	12	41.5	1	MP1	*	*	*
55	1 7/8	161.5	39.67	14.5	79.5	130	109	12	41	4	SL11/8		*	*
		160.5	42.9	17.7	82.7	129.5	108.5	12	41.5	4	NP11/8		*	*
60	1 7/8	161.5	39.67	14.5	79.5	130	109	12	41	4	SL30	*	*	*
		160.5	42.9	17.7	82.7	129.5	108.5	12	41.5	4	NP30	*	*	*
65	1 7/8	166	47.6	17.5	93	136.5	121.5	12	44.5	2	MP30		*	*
		161.5	39.67	14.5	79.5	130	109	12	41	4	SL13/16		*	*
70	1 7/8	160.5	42.9	17.7	82.7	129.5	108.5	12	41.5	4	NP13/16		*	*
		166	47.6	17.5	93	136.5	121.5	12	44.5	2	MP13/16		*	*
75	1 7/8	161.5	39.67	14.5	79.5	130	109	12	41	4	SL11/4R	*	*	*

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.



**Self-Aligning
Cast Iron
Pillow Blocks**








Shaft Diameter		Housing Dimensions				Bolt Centres				Casting Group	Basic Housing Unit	Variants			
		L	H	H1	H2	max	J min	G	A			A	EC	DEC	
mm	Inch	mm													
35	1 1/4	160.5	42.9	17.7	82.7	129.5	108.5	12	41.5	4	NP11/4R	*	*	*	
		166	46.02	16	91.5	136.5	121.5	12	44.5	5	SL11/4	*	*	*	
		166	47.6	17.5	93	136.5	121.5	12	44.5	2	MP11/4				
	1 3/8	166	47.6	17.5	93	136.5	121.5	12	44.5	5	NP11/4	*	*	*	
		166	46.02	16	91.5	136.5	121.5	12	44.5	5	SL13/8		*	*	
		166	47.6	17.5	93	136.5	121.5	12	44.5	5	NP13/8		*	*	
	35	1 7/16	203.2	53.98	23	106.4	160	135	12	57	3	MP13/8			
			166	46.02	16	91.5	136.5	121.5	12	44.5	5	SL35	*	*	*
			166	47.6	17.5	93	136.5	121.5	12	44.5	5	NP35	*	*	*
	40	1 1/2	203.2	53.98	23	106.4	160	135	12	57	3	MP35			
			166	46.02	16	91.5	136.5	121.5	12	44.5	5	SL17/16		*	*
			166	47.6	17.5	93	136.5	121.5	12	44.5	5	NP17/16		*	*
1 5/8		203.2	53.98	23	106.4	160	135	12	57	3	MP17/16				
		180.5	49.2	18.5	98.5	148	127	12	51	6	SL11/2	*	*	*	
		180.5	49.2	18.5	98.5	148	127	12	51	6	NP11/2	*	*	*	
45	1 3/4	222.2	58.72	20.6	115.9	169.9	141.3	16	66.7	4	MP11/2	*			
		180.5	49.2	18.5	98.5	148	127	12	51	6	SL40	*	*	*	
		180.5	49.2	18.5	98.5	148	127	12	51	6	NP40	*	*	*	
	1 11/16	222.2	58.72	20.6	115.9	169.9	141.3	16	66.7	4	MP40				
		197.5	52.37	18.4	106.4	161.5	141.5	12	54	7	SL15/8		*	*	
		190.5	54	20	108	154.5	140.5	12	54	7	NP15/8		*	*	
45	1 7/8	197.5	52.37	18.4	106.4	161.5	141.5	12	54	7	SL111/16		*	*	
		190.5	54	20	108	154.5	140.5	12	54	7	NP111/16		*	*	
		222.2	58.72	20.6	117.5	171.4	139.7	16	66.7	5	MP111/16				
	115/16	190.5	54	20	108	154.5	140.5	12	54	7	SL13/4	*	*	*	
		197.5	52.37	18.4	106.4	161.5	141.5	12	54	7	NP13/4	*	*	*	
		222.2	58.72	20.6	117.5	171.4	139.7	16	66.7	5	MP13/4				
115/16	115/16	197.5	52.37	18.4	106.4	161.5	141.5	12	54	7	SL45	*	*	*	
		190.5	54	20	108	154.5	140.5	12	54	7	NP45	*	*	*	
		222.2	58.72	20.6	117.5	171.4	139.7	16	66.7	5	MP45				
115/16	115/16	214	55.55	19.3	114	177	151	12	55	8	SL17/8		*	*	
		206	57.2	21	115.2	163	154	16	55	8	NP17/8		*	*	
		219.5	63.5	24.8	129.5	178.5	162.5	16	60	6	MP17/8				
115/16	115/16	214	55.55	19.3	114	177	151	12	55	8	SL115/16		*	*	
		206	57.2	21	115.2	163	154	16	55	8	NP115/16		*	*	

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.



**Self-Aligning
Cast Iron
Pillow Blocks**





Shaft Diameter		Housing Dimensions				Bolt Centres				Casting Group	Basic Housing Unit	Variants		
		L	H	H1	H2	max	J min	G	A			A	EC	DEC
mm	Inch	mm												
50	1 15/16	219.5	63.5	24.8	129.5	178.5	162.5	16	60	6	MP115/16			
		214	55.55	19.3	114	177	151	12	55	8	SL50	*	*	*
		206	57.2	21	115.2	163	154	16	55	8	NP50	*	*	*
	2	219.5	63.5	24.8	129.5	178.5	162.5	16	60	6	MP50			
		214	55.55	19.3	114	177	151	12	55	8	SL2R			
		206	57.2	21	115.2	163	154	16	55	8	NP2R			*
55	2 1/8	219.5	61.9	23.2	128	178.5	162.5	16	60	9	SL2			*
		219.5	63.5	24.8	129.5	178.5	162.5	16	60	6	MP2			
		219.5	63.5	24.8	129.5	178.5	162.5	16	60	9	NP2			*
	2 3/16	219.5	61.9	23.2	128	178.5	162.5	16	60	9	SL21/8			*
		219.5	63.5	24.8	129.5	178.5	162.5	16	60	9	NP21/8			*
		219.5	61.9	23.2	128.0	178.5	162.5	16	60	9	SL55			*
60	2 1/4	219.5	63.5	24.8	129.5	178.5	162.5	16	60	9	NP55			*
		260.4	69.85	27	142.9	200	175	20	79.4	7	MP55			
		219.5	61.9	23.2	128	178.5	162.5	16	60	9	SL23/16			*
	2 3/8	219.5	63.5	24.8	129.5	178.5	162.5	16	60	9	NP23/16			*
		260.4	69.85	27	142.9	200	175	20	79.4	7	MP23/16			
		249	68.25	28.6	138.1	204.8	182.6	16	69.8	10	SL21/4			*
65	2 7/16	260.4	69.85	27	142.9	200	175	20	79.4	7	MP21/4			
		241.3	69.9	22.2	141.3	192.1	176.2	16	69.8	10	NP21/4			*
		249	68.25	28.6	138.1	204.8	182.6	16	69.8	10	SL60			*
	2 1/2	241.3	69.9	22.2	141.3	192.1	176.2	16	69.8	10	NP60			*
		285.8	76.2	27	158.8	223.8	190	20	82.6	8	MP60			
		249	68.25	28.6	138.1	204.8	182.6	16	69.8	10	SL23/8			*
70	2 5/8	241.3	69.9	22.2	141.3	192.1	176.2	16	69.8	10	NP23/8			*
		249	68.25	28.6	138.1	204.8	182.6	16	69.8	10	SL27/16			*
		241.3	69.9	22.2	141.3	192.1	176.2	16	69.8	10	NP27/16			*
	2 9/16	285.8	76.2	27	158.8	223.8	190	20	82.6	8	MP27/16			
		247.6	68.25	28.6	142.9	204.8	182.6	16	69.8	10/65	SL21/2			*
		241.3	69.9	22.2	141.3	192.1	176.2	16	69.8	10/65	NP21/2			*
75	3	285.8	76.2	27	158.8	223.8	190	20	82.6	8	MP21/2			
		247.6	68.25	28.6	142.9	204.8	182.6	16	69.8	10/65	SL65R			*
	3 1/2	241.3	69.9	22.2	141.3	192.1	176.2	16	69.8	10/65	NP65			*
		285.8	76.2	27	158.8	223.8	190	20	82.6	8	MP65R			
		298.4	82.55	34.9	166.7	242.9	220.7	20	82.6	11	SL65			*

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.



**Self-Aligning
Cast Iron
Pillow Blocks**




Shaft Diameter		Housing Dimensions				Bolt Centres				Casting Group	Basic Housing Unit	Varients		
		L	H	H1	H2	max	J min	G	A			A	EC	DEC
mm	Inch	mm												
65		330.2	88.9	28.6	177.8	255.6	206	24	88.9	9	MP65			
	2 11/16	298.4	82.55	34.9	166.7	242.9	220.7	20	82.6	11	SL211/16		*	
		330.2	88.9	28.6	177.8	255.6	206	24	88.9	9	MP211/16			
	2 3/4	298.4	82.55	34.9	166.7	242.9	220.7	20	82.6	11	SL23/4		*	
		330.2	88.9	28.6	177.8	255.6	206	88.9	13.4	9	MP23/4			
		298.4	82.55	34.9	166.7	242.9	220.7	20	82.6	11	SL70		*	
70		330.2	88.9	28.6	177.8	255.6	206	24	88.9	9	MP70			
	2 7/8	298.4	82.55	34.9	166.7	242.9	220.7	20	82.6	11	SL27/8		*	
	2 15/16	298.4	82.55	34.9	166.7	242.9	220.7	20	82.6	11	SL215/16		*	
		330.2	88.9	31.8	184.2	255.6	228	24	88.9	10	MP215/16			
		298.4	82.55	34.9	166.7	242.9	220.7	20	82.6	11	SL75		*	
		330.2	88.9	31.8	184.2	255.6	228	24	88.9	10	MP75			
80	3	330.2	88.9	31.8	184.2	255.6	228	24	88.9	10	MP3			
		381	101.6	31.8	203.2	317.5	260	24	101.6	11	MP80			
	3 3/16	381	101.6	31.8	203.2	317.5	260	24	101.6	11	MP33/16			
	3 1/4	381	101.6	31.8	203.2	317.5	260	24	101.6	11	MP31/4			
		381	101.6	33.3	209.6	319.1	246.1	24	111.1	12	MP85			
	3 7/16	381	101.6	33.3	209.6	319.1	246.1	24	111.1	12	MP37/16			
85		381	101.6	33.3	209.6	319.1	246.1	24	111.1	12	MP31/2			
	3 1/2	381	101.6	33.3	209.6	319.1	246.1	24	111.1	12	MP90			
		431.8	127	33.3	254	371.5	301.6	24	120.6	13	MP95			
90		431.8	127	33.3	254	371.5	301.6	24	120.6	13	MP100			
	3 15/16	431.8	127	33.3	254.0	371.5	301.6	24	120.6	13	MP315/16			
	4	431.8	127	33.3	254	371.5	301.6	24	120.6	13	MP4			

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.



**Self-Aligning Pressed
Steel Rubber-Mounted
Pillow Blocks (LPBR)**




Shaft Diameter		Housing Dimensions				Bolt Centres			Pressing Group	Basic Housing Unit	Varients		
		L	H	H1	H2	J	G	A			A	EC	DEC
mm	Inch	mm											
12		85.7	22.2	2.4	43.2	68	8	25.4	1	LBP12		*	
		98.4	25.4	2.4	49.9	76	8	31.7	2	LPBR12		*	
	1/2	85.7	22.2	2.4	43.2	68	8	25.4	1	LPB1/2		*	
		98.4	25.4	2.4	49.9	76	8	31.7	2	LPBR1/2		*	
15		85.7	22.2	2.4	43.2	68	8	25.4	1	LPB15		*	
		98.4	25.4	2.4	49.9	76	8	31.7	2	LPBR15		*	
	5/8	85.7	22.2	2.4	43.2	68	8	25.4	1	LPB5/8		*	
		98.4	25.4	2.4	49.9	76	8	31.7	2	LPBR5/8		*	
16		85.7	22.2	2.4	43.2	68	8	25.4	1	LPB16		*	
		98.4	25.4	2.4	49.9	76	8	31.7	2	LPBR16		*	
17		85.7	22.2	2.4	43.2	68	8	25.4	1	LPB17		*	
		98.4	25.4	2.4	49.9	76	8	31.7	2	LPBR17		*	
	3/4	98.4	25.4	2.4	49.9	76	8	31.7	2	LPB3/4	*	*	*
		108	28.6	2.8	55.8	86	10	31.7	3	LPBR3/4	*	*	*
20		98.4	25.4	2.4	49.9	76	8	31.7	2	LPB20	*	*	*
		108	28.6	2.8	55.8	86	10	31.7	3	LPBR20	*	*	*
	7/8	108	28.6	2.8	55.8	86	10	31.7	3	LPB7/8		*	*
		117.5	33.3	3.6	65.7	95	10	37.5	4	LPBR7/8		*	*
	15/16	108	28.6	2.8	55.8	86	10	31.7	3	LPB15/16		*	*
		117.5	33.3	3.6	65.7	95	10	37.5	4	LPBR15/16		*	*
25		108	28.6	2.8	55.8	86	10	31.7	3	LPB25	*	*	*
		117.5	33.3	3.6	65.7	95	10	37.5	4	LPBR25	*	*	*
	1	108	28.6	2.8	55.8	86	10	31.7	3	LPB1	*	*	*
		117.5	33.3	3.6	65.7	95	10	37.5	4	LPBR1	*	*	*
	1 1/8	117.5	33.3	3.6	65.7	95	10	37.5	4	LPB11/8		*	*
		128.6	39.7	4.4	77.5	106	10	41	5	LPBR11/8		*	*
30		117.5	33.3	3.6	65.7	95	10	37.5	4	LPB30	*	*	*
		128.6	39.7	4.4	77.5	106	10	41	5	LPBR30	*	*	*
	1 3/16	117.5	33.3	3.6	65.7	95	10	37.5	4	LPB13/16		*	*
		128.6	39.7	4.4	77.5	106	10	41	5	LPBR13/16		*	*
	1 1/4	117.5	33.3	3.6	65.7	95	10	37.5	4	LPB11/4	*	*	*
		128.6	39.7	4.4	77.5	106	10	41	5	LPBR11/4	*	*	*
	13/8	128.6	39.7	4.4	77.5	106	10	41	5	LPB13/8		*	*
		128.6	39.7	4.4	77.5	106	10	41	5	LPBR13/8	*	*	*
35		128.6	39.7	4.4	77.5	106	10	41	5	LPB35	*	*	*
	17/16	128.6	39.7	4.4	77.5	106	10	41	5	LPBR17/16		*	*

If a dimension is critical to your application please contact our sales department for confirmation.

Please note : errors and omissions excepted.



**Self-Aligning
Cast Iron Flange
Bearing Units**




Shaft Diameter		Housing Dimensions				Bolt Centres				Casting Group	Basic Housing Unit	Variants		
		L	H	J	G	A	A1	A2	A3			A	EC	DEC
mm	Inch	mm												
12		52.5	98.5	76.5	10	24.6	32.87	39.01		1	SFT12		*	
		58.5	81	63.5	6	15	24.27	30.43		1	LFTC12		*	
	1/2	52.5	98.5	76.5	10	24.6	32.87	39.01		1	SFT1/2		*	
		58.5	81	63.5	6	15	24.27	30.43		1	LFTC1/2		*	
15		52.5	98.5	76.5	10	24.6	32.87	39.01		1	SFT15		*	
		58.5	81	63.5	6	15	24.27	30.43		1	LFTC15		*	
	5/8	52.5	98.5	76.5	10	24.6	32.87	39.01		1	SFT5/8		*	
		58.5	81	63.5	6	15	24.27	30.43		1	LFTC5/8		*	
16		52.5	98.5	76.5	10	24.6	32.87	39.01		1	SFT16		*	
		58.5	81	63.5	6	15	24.27	30.43		1	LFTC16		*	
17		52.5	98.5	76.5	10	24.6	32.87	39.01		1	SFT17		*	
		58.5	81	63.5	6	15	24.27	30.43		1	LFTC17		*	
	3/4	60.3	111.9	90	10	27.8	37.26	42.42	45.54	2	SFT3/4	*	*	*
		66.5	90.5	71.5	8	17	27.76	32.92	36.04	2	LFTC3/4	*	*	*
20		60.3	111.9	90	10	27.8	37.26	42.42	45.54	2	SFT20	*	*	*
		66.5	90.5	71.5	8	17	27.76	32.92	36.04	2	LFTC20	*	*	*
	7/8	68.3	123.8	99	10	28.6	38.84	42.42	45.95	3	SFT7/8		*	*
		71	96	76	8	17.5	29.24	32.82	36.35	3	LFTC7/8		*	*
25		68.3	123.8	99	10	28.6	38.8	42.42	45.95	3	SFT15/16		*	*
		71	96	76	8	17.5	29.24	32.82	36.35	3	LFTC15/16		*	*
	1	82.6	141.3	116.5	10	29.8	42.21			1	MSFT25			
		68.3	123.8	99	10	28.6	38.84	42.42	45.95	3	SFT1	*	*	*
	1 1/8	71	96	76	8	17.5	29.24	32.82	36.35	3	LFTC1	*	*	*
		82.6	141.3	116.5	10	29.8	42.21			1	MSFT1			
	1 1/8	82.6	141.3	116.5	10	29.8	42.21	46.66	50.09	4	SFT11/8		*	*
		84	112	90.5	10	20.5	33.62	38.07	41.5	4	LFTC11/8		*	*
30		82.6	141.3	116.5	10	29.8	42.21	46.66	50.09	4	SFT30	*	*	*
		84	112	90.5	10	20.5	33.62	38.07	41.5	4	LFTC30	*	*	*
	1 3/16	95.5	155.5	130	12	31.4	46.41			2	MSFT30			
		82.6	141.3	116.5	10	29.8	42.21	46.66	50.09	4	SFT13/16		*	*
		84	112	90.5	10	20.5	33.62	38.07	41.5	4	LFTC13/16		*	*
		95.5	155.5	130	12	31.4	46.41			2	MSFT13/16			

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.



**Self-Aligning
Cast Iron Flange
Bearing Units**




Shaft Diameter		Housing Dimensions				Bolt Centres				Casting Group	Basic Housing Unit	Varients		
		L	H	J	G	A	A1	A2	A3			A	EC	DEC
mm	Inch	mm												
1 1/4	1 1/4	82.6	141.3	116.5	10	29.8	42.21	46.66	50.09	4	SFT11/4R	*	*	*
		84	112	90.5	10	20.5	33.62	38.07	41.5	4	LFTC11/4	*	*	*
		93	125	100	10	22	37.8	41.74	44.71	5	LFTC11/4L	*	*	*
		95.5	155.5	130	12	31.4	46.41	50.34	53.31	5	SFT11/4	*	*	*
		95.5	155.5	130	12	31.4	46.41			2	MSFT11/4			
1 3/8	1 3/8	93	125	100	10	22	37.8	41.74	44.71	5	LFTC13/8		*	*
		95.5	155.5	130	12	31.4	46.41	50.34	53.31	5	SFT13/8		*	*
		101.6	171.4	143.5	12	34.9	54.18			3	MSFT13/8			
35	35	93	125	100	10	22	37.8	41.74	44.71	5	LFTC35	*	*	*
		95.5	155.5	130	12	31.4	46.41	50.34	53.31	5	SFT35	*	*	*
		101.6	171.4	143.5	12	34.9	54.18			3	MSFT35			
		93	125	100	10	22	37.8	41.74	44.71	5	LFTC17/16	*	*	*
1 7/16	1 7/16	95.5	155.5	130	12	31.4	46.41	50.34	53.31	5	SFT17/16	*	*	*
		101.6	171.4	143.5	12	34.9	54.18			3	MSFT17/16			
		101.6	171.4	143.5	12	34.9	54.18	56.62	58.9	6	SFT11/2	*	*	*
1 1/2	1 1/2	111.1	179.4	148.5	16	35.3	54.18			4	MSFT11/2			
		101.6	171.4	143.5	12	34.9	54.18	56.62	58.9	6	SFT40	*	*	*
40	40	111.1	179.4	148.5	16	35.3	54.18			4	MSFT40			
		111.1	179.4	148.5	16	35.3	54.18	56.62	58.9	7	SFT15/8		*	*
		111.1	179.4	148.5	16	35.3	54.18	56.62	58.9	7	SFT111/16		*	*
1 5/8	1 5/8	115.9	188.9	157	16	39.7	60.53			5	MSFT111/16			
		111.1	179.4	148.5	16	35.3	54.18	56.62	58.9	7	SFT13/4	*	*	*
		115.9	188.9	157	16	39.7	60.53			5	MSFT3/4			
45	45	111.1	179.4	148.5	16	35.3	54.18	56.62	58.9	7	SFT45	*	*	*
		115.9	188.9	157	16	39.7	60.53			5	MSFT45			
1 7/8	1 7/8	115.9	188.9	157	16	39.7	60.53	60.6	66.07	8	SFT17/8		*	*
		127	215.9	184	16	43.7	64.31			6	MSFT17/8			
1 15/16	1 15/16	115.9	188.9	157	16	39.7	60.53	60.6	66.07	8	SFT115/16		*	*
		127	215.9	184	16	43.7	64.31			6	MSFT115/16			
50	50	115.9	188.9	157	16	39.7	60.53	60.6	66.07	8	SFT50	*	*	*
		127	215.9	184	16	43.7	64.31			6	MSFT50			
		115.9	188.9	157	16	39.7	60.53	60.6	66.07	8	SFT2R			*
2	2	127	215.9	184	16	43.7	64.31		74.57	9	SFT2			*
		127	215.9	184	16	43.7	64.31			6	MSFT2			

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.



**Self-Aligning
Cast Iron Flange
Bearing Units**




Shaft Diameter		Housing Dimensions				Bolt Centres				Casting Group	Basic Housing Unit	Varients		
		L	H	J	G	A	A1	A2	A3			A	EC	DEC
mm	Inch	mm												
55	2 1/8	127	215.9	184	16	43.7	64.31		74.57	9	SFT21/8			*
		127	215.9	184	16	43.7	64.31		74.57	9	SFT55			*
		138.1	235	202	16	47.6	73.69			7	MSFT55			
60	2 3/16	127	215.9	184	16	43.7	64.31		74.57	9	SFT23/16			*
		138.1	235	202	16	47.6	73.69			7	MSFT23/16			
		138.1	235	202	16	47.6	73.69		80.77	10	SFT21/4			*
60	2 1/4	138.1	235	202	16	47.6	73.69		80.77	10	SFT60			*
		138.1	235	202	16	47.6	73.69		80.77	10	SFT23/8			*
		2 3/8	138.1	235	202	16	47.6	73.69		80.77	10	SFT27/16		
	2 7/16	138.1	235	202	16	47.6	73.69		80.77	10	SFT27/16			*

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.



**Self-Aligning
Cast Iron Flange
Bearing Units**




Shaft Diameter		Housing Dimensions				Bolt Centres				Casting Group	Basic Housing Unit	Variants		
		L	H	J	G	A1	A2	A3	A4			A	EC	DEC
mm	Inch	mm												
12		76.2	52.5	54	10	32.87	39.01		9.5	1	SF12		*	
	1/2	76.2	52.5	54	10	32.87	39.01		9.5	1	SF1/2		*	
15		76.2	52.5	54	10	32.87	39.01		9.5	1	SF15		*	
	5/8	76.2	52.5	54.00	10	32.87	39.01		9.5	1	SF5/8		*	
16		76.2	52.5	54	10	32.87	39.01		9.5	1	SF16		*	
17		76.2	52.5	54	10	32.87	39.01		9.5	1	SF17		*	
	3/4	85.7	60.03	63.5	10	37.26	42.42	45.54	11.1	2	SF3/4	*	*	
20		85.7	60.3	63.5	10	37.26	42.42	45.54	11.1	2	SF20	*	*	
	7/8	95.3	68.0	70	10	38.84	42.42	45.95	11.1	3	SF7/8		*	
25		95.3	68	70.00	10	38.84	42.42	45.95	11.1	3	SF15/16		*	
	15/16	95.3	68	70	10	38.84	42.42	45.95	11.1	3	SF25	*	*	
30		108	82.6	82.5	10	42.21	12.7		11.3	1	MSF25	*	*	
	1	95.3	68	70	10	38.84	42.42	45.95	11.1	3	SF1	*	*	
35		108	82.6	82.5	10	42.21			12.7	1	MSF1	*	*	
	1 1/8	108	82.6	82.50	10	42.21	46.66	50.09	12.7	4	SF11/8		*	
40		108	82.6	82.5	10	42.21	46.66	50.09	12.7	4	SF30	*	*	
	1 3/16	117.5	95.3	92	12	46.41			12.7	2	MSF30		*	
45		108	82.6	82.5	10	42.21	46.66	50.09	12.7	4	SF13/16		*	
	1 1/4	117.5	95.3	92	12	46.41			12.7	2	MSF13/16		*	
50		108	82.6	82.5	10	42.21	46.66	50.09	12.7	4	SF11/4R	*	*	
	1 1/2	117.5	95.3	92	12	46.41	50.34	53.31	12.7	5	SF11/4	*	*	
55		117.5	95.3	92	12	46.41			12.7	2	MSF11/4	*	*	
	1 3/8	117.5	95.3	92	12	46.41	50.34	53.31	12.7	5	SF13/8		*	
60		130.2	101.6	101.5	12	54.18			12.7	3	MSF13/8		*	
	1 7/16	117.5	95.3	92	12	46.41	50.34	53.31	12.7	5	SF35	*	*	
65		130.2	101.6	101.5	12	54.18			12.7	3	MSF35		*	
	1 1/2	117.5	95.3	92	12	46.41	50.34	53.31	12.7	5	SF17/16		*	
70		130.2	101.6	101.5	12	54.18	56.62	58.9	12.7	6	MSF17/16		*	
	1 1/2	130.2	101.6	101.5	12	54.18	56.62	58.9	12.7	6	SF11/2	*	*	
75		136.5	111.1	105	16	54.18			14.3	4	MSF11/2		*	
	1 1/2	130.2	101.6	101.5	12	54.18	56.62	58.9	12.7	6	SF40	*	*	
80		136.5	111.1	105	16	54.18			14.3	4	MSF40		*	
	1 5/8	136.5	111.1	105	16	54.18	56.62	58.9	14.3	7	SF15/8		*	
85		142.9	115.9	111	16	60.53			14.3	5	MSF111/16		*	
	1 11/16	136.5	111.1	105	16	54.18	56.62	58.9	14.3	7	SF111/16		*	

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.



**Self-Aligning
Cast Iron Flange
Bearing Units**




Shaft Diameter		Housing Dimensions				Bolt Centres				Casting Group	Basic Housing Unit	Variants		
		L	H	J	G	A1	A2	A3	A4				A	EC
mm	Inch	mm												
45	1 3/4	136.5	111.1	105	16	54.18	56.62	58.9	14.3	7	SF13/4	*	*	*
		142.9	115.9	111	16	60.53			14.3	5	MSF13/4			
		136.5	111.1	105.09	16	54.18	56.62	58.9	14.3	7	SF45	*	*	*
		142.9	115.9	111	16	60.53			14.3	5	MSF45			
50	1 7/8	142.9	115.9	111	16	60.53	60.6	66.07	14.3	8	SF17/8		*	*
		161.9	127	130	16	64.31			17.5	6	MSF17/8			
		142.9	115.9	111	16	60.53	60.6	66.07	14.3	8	SF115/16		*	*
		161.9	127	130	16	64.31			17.5	6	MSF115/16			
55	2	142.9	115.9	111	16	60.53	60.6	66.07	14.3	8	SF50	*	*	*
		161.9	127	130	16	64.31			17.5	6	MSF50			
		142.9	115.9	111	16	60.53	60.6	66.07	14.3	8	SF2R			
		161.9	127	130	16	64.31		74.57	17.5	9	SF2			*
60	2 1/8	161.9	127	130	16	64.31		74.57	17.5	6	MSF2			
		161.9	127	130	16	64.31		74.57	17.5	9	SF21/8			*
		161.9	127	130	16	64.31		74.57	17.5	9	SF55			*
		174.5	138.1	143	16	73.69			17.5	7	MSF55			
65	2 3/16	161.9	127	130	16	64.31		74.57	17.5	9	SF23/16			*
		174.5	138.1	143	16	73.69			17.5	7	MSF23/16			
		174.5	138.1	143	16	73.69			17.5	7	MSF21/4			
		174.5	138.1	143	16	73.69		80.77	17.5	10	SF21/4			*
70	2 1/4	174.5	138.1	143	16	73.69		80.77	17.5	10	SF60			*
		187.5	153	149.22	16	69.69			18	8/65	MSF60R			
		187.5	155.5	149.22	16	77.72			18	8	MSF60			
		174.5	138.1	143	16	73.69		80.77	17.5	10	SF23/8	*	*	*
75	2 7/16	174.5	138.1	143	16	73.69		80.77	17.5	10	SF27/16			*
		187.5	155.5	149.22	16	77.72			18	8	MSF27/16			
		174.5	149.5	143	16	73.69		80.77	18	10/65	SF21/2			*
		187.5	155.5	149.22	16	77.72			18	8	MSF21/2			
80	2 1/2	174.5	149.5	143	16	73.69		80.77	18	10/65	SF65R			
		187.5	155.5	149.22	16	77.72			18	8	MSF65R			*
		196.5	158.5	152.4	20	80.9			23	9	MSF65			
		187.5	155.5	149.22	16	77.72		84.86	18	11	SF25/8			*
85	2 5/8	187.5	155.5	149.22	16	77.72		84.86	18	11	SF211/16			*
		187.5	155.5	149.22	16	77.72		84.86	18	11	SF211/16			*
		196.5	158.5	152.4	20	80.9			23	9	MSF211/16			
		196.5	158.5	152.4	20	80.9		91.21	23	12	SF23/4			*

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.



**Self-Aligning
Cast Iron Flange
Bearing Units**




Shaft Diameter		Housing Dimensions				Bolt Centres				Casting Group	Basic Housing Unit	Variants		
		L	H	J	G	A1	A2	A3	A4				A	EC
mm	Inch	mm												
70	2 3/4	196.5	158.5	152.4	20	80.9			23	9	MSF23/4			
		187.5	155.5	149.22	16	77.72		84.86	18	11	SF70			*
	196.5	158.5	152.4	20	80.9			23	9	MSF70				
75	2 7/8	196.5	158.5	152.4	20	80.9		91.21	23	12	SF27/8			*
	2 15/16	196.5	158.5	152.4	20	80.9		91.21	23	12	SF215/16			*
		196.5	173.5	152.4	20	88.87			23	10	MSF215/16			
80	3	196.5	158.5	152.4	20	80.9		91.21	23	12	SF75			*
		196.5	173.5	152.4	20	88.87			23	10	MSF75			
	213.5	184	171.45	20	89.61			26	11	MSF80				
85	3 3/16	213.5	984	171.45	20	89.64			26	11	MSF33/16			
	3 1/4	213.5	184	171.45	20	89.64			26	11	MSF31/4			
		213.5	196.5	171.45	20	100.76			26	12	MSF85			
90	3 7/16	213.5	196.5	171.45	20	100.76			26	12	MSF37/16			
		213.5	196.5	171.45	20	100.76			26	12	MSF31/2			
	213.5	196.5	171.45	20	100.76			26	12	MSF90				
95		267.5	235.5	211.12	24	126.95			32	13	MSF95			
100	3 15/16	267.5	235.5	211.12	24	126.95			32	13	MSF100			
		267.5	235.5	211.12	24	126.95			32	13	MSF315/16			
	4	267.5	235.5	211.12	24	126.95			32	13	MSF4			

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.



**Self-Aligning
Pressed Steel Flange
Bearing Units**




Shaft Diameter		Housing Dimensions								Pressing Group	Basic Housing Unit	Varients			
		L	H	H1	H2	J	N	A	A1			A	EC	DEC	
mm	Inch	mm													
12	1/2	58.7	81		49	63.5	7.1	6.7	4	1	SLFE12		*		
					49	63.5	7.1	6.7	4	1	SLFL12		*		
15	5/8	58.7	81		49	63.5	7.1	6.7	4	1	SLFE15		*		
					49	63.5	7.1	6.7	4	1	SLFL15		*		
16		58.7	81		49	63.5	7.1	6.7	4	1	SLFE16		*		
					49	63.5	7.1	6.7	4	1	SLFL16		*		
17	3/4	58.7	81.0		49	63.5	7.1	6.7	4	1	SLFE17		*		
					49	63.5	7.1	6.7	4	1	SLFL17		*		
20	7/8	66.7	90.5		55	71.5	8.7	7.7	4	2	SLFE3/4	*	*	*	
					55	71.5	8.7	7.7	4	2	SLFL3/4	*	*	*	
25	1 1/8	66.7	90.5		55	71.5	8.7	7.7	4	2	SLFE20	*	*	*	
					55	71.5	8.7	7.7	4	2	SLFL20	*	*	*	
25	1	95.2			60	76	8.7	8.7	4	3	SLFE7/8		*	*	
					60	76	8.7	8.7	4	3	SLFT7/8		*	*	
30	1 1/8	71	95.3	34.2	60	76	8.7	8.7	4	3	SLFE15/16		*	*	
					60	76	8.7	8.7	4	3	SLFT15/16		*	*	
30	1 1/8	71	95.3		60	76	8.7	8.7	4	3	SLFE25		*	*	
					60	76	8.7	8.7	4	3	SLFL25		*	*	
30	1 1/8	95.2			60	76	8.7	8.7	4	3	SLFE1	*	*	*	
					60	76	8.7	8.7	4	3	SLFT1	*	*	*	
30	1 1/8	71	95.3		60	76	8.7	8.7	4	3	SLFL1	*	*	*	
					60	76	8.7	8.7	4	3	SLFE11/8		*	*	
30	1 1/8	112.7			71	90.5	10.5	9	5	4	SLFE11/8		*	*	
					71	90.5	10.5	9	5	4	SLFT11/8		*	*	
30	1 1/8	84.1	112.7	40.2	71	90.5	10.5	9	5	4	SLFL11/8		*	*	
					71	90.5	10.5	9	5	4	SLFE30	*	*	*	
30	1 1/8	112.7			71	90.5	10.5	9	5	4	SLFE30	*	*	*	
					71	90.5	10.5	9	5	4	SLFL30	*	*	*	

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.



**Self-Aligning
Pressed Steel Flange
Bearing Units**




Shaft Diameter		Housing Dimensions								Pressing Group	Basic Housing Unit	Varients		
		L	H	H1	H2	J	N	A	A1			A	EC	DEC
mm	Inch	mm												
	1 3/16		112.7		71	90.5	10.5	9	5	4	SLFE13/16		*	*
			112.7	40.2	71	90.5	10.5	9.0	5.0	4	SLFT13/16		*	*
		84.1	112.7		71	90.5	10.5	9	5	4	SLFL13/16		*	*
	1 1/4		122.2		81	100	10.5	10	5	5	SLFE11/4L	*	*	*
			112.7		71	90.5	10.5	9	5	4	SLFE11/4	*	*	*
			122.2	44.2	81	100	10.5	10	5	5	SLFT11/4L	*	*	*
	1 3/8		112.7		71	90.5	10.5	9	5	4	SLFT11/4	*	*	*
		84.1	112.7		71	90.5	10.5	9	5	4	SLFL11/4	*	*	*
			122.2		81	100	10.5	10	5	5	SLFE13/8		*	*
35			122.2	44.2	81	100	10.5	10	5	5	SLFT13/8		*	*
			122.2		81	100	10.5	10	5	5	SLFE35	*	*	*
			122.2	44.2	81	100	10.5	10	5	5	SLFT35	*	*	*
	1 7/16		122.2		81	100	10.5	10	5	5	SLFE17/16		*	*
			122.2	44.2	81	100	10.5	10	5	5	SLFT17/16		*	*
			147.8		91.0	119	13.5	10	7	6	SLFE11/2	*	*	*
40	1 1/2		147.8		91	119	13.5	10	7	6	SLFE40	*	*	*
			149.2		97	120.5	13.5	10	7	7	SLF15/8		*	*
			149.2		97	120.5	13.5	10	7	7	SLFE111/16		*	*
	1 11/16		149.2		97	120.5	13.5	10	7	7	SLFE13/4	*	*	*
			149.2		97	120.5	13.5	10	7	7	SLFE45	*	*	*
			155.6		102	127	13.5	10.5	8	8	SLFE17/8		*	*
45	1 7/8		155.6		102	127	13.5	10.5	8	8	SLFE115/16		*	*
			155.6		102	127	13.5	10.5	8.0	8	SLFE50	*	*	*
			155.6		102	127	13.5	10.5	8	8	SLFE2R			
50	2		166.6		113	138	13.5	10.7	8	9	SLFE2			*
			166.6		113	138	13.5	10.7	8	9	SLFE21/4			*
			166.6		113	138	13.5	10.7	8	9	SLFE55			*
55	2 1/8		166.6		113	138	13.5	10.7	8	9	SLFE23/16			*
			176.2		122.0	147.6	13.5	11.9	8	10	SLFE21/4			*
			176.2		122	147.6	13.5	11.9	8	10	SLFE60			*
60	2 1/4		176.2		122	147.6	13.5	11.9	8	10	SLFE60			*
			176.2		122	147.6	13.5	11.9	8	10	SLFE27/16			*

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.



**Self-Aligning
Cast Iron Take-Up
Bearing Units**




Shaft Diameter		Housing Dimensions								Pressing Group	Basic Housing Unit	Varients		
		L	L1	H2	H3	N	A	A1	A2			A	EC	DEC
mm	Inch	mm												
20	3/4	95.5	62	32	76	22.5	36	27.5	13.5	2	ST3/4	*	*	*
		95.5	62	32	76	22.5	36	27.5	13.5	2	ST20	*	*	*
	7/8	98	62	32	76	22.5	36	27.5	13.5	3	ST7/8		*	*
	15/16	98	62	32	76	22.5	36	27.5	13.5	3	ST15/16		*	*
25		98	62	32	76	22.5	36	27.5	13.5	3	ST25	*	*	*
		115.5	71.7	37.5	89	22.5	36.5	30	13.5	1	MST25			
	1	98	62	32	76	22.5	36	27.5	13.5	3	ST1	*	*	*
		115.5	71.7	37.5	89	22.5	36.5	30	13.5	1	MST1			
30	1 1/8	115.5	71.7	37.5	89	22.5	36.5	30	13.5	4	ST11/8		*	*
		115.5	71.7	37.5	89	22.5	36.5	30	13.5	4	ST30	*	*	*
		124	75.5	37.5	89	22.5	36.5	30	13.5	2	MST30			
	1 3/16	115.5	71.7	37.5	89	22.5	36.5	30	13.5	4	ST13/16		*	*
		124	75.5	37.5	89	22.5	36.5	30	13.5	2	MST13/16			
	1 1/4	115.5	71.7	37.5	89	22.5	36.5	30	13.5	4	ST11/4R	*	*	*
		124	75.5	37.5	89	22.5	36.5	30	13.5	5	ST11/4	*	*	*
	1 3/8	124	75.5	37.5	89	22.5	36.5	30	13.5	5	ST13/8		*	*
35		143.5	89.2	49.5	101	29	49.5	37	17.5	3	MST13/8			
		124	75.5	37.5	89	22.5	36.5	30	13.5	5	ST35	*	*	*
		143.5	89.2	9.5	101	29	49.5	37	17.5	3	MST35			
	1 7/16	124	75.5	37.5	89	22.5	36.5	30	13.5	5	ST17/16		*	*
		143.5	89.2	49.5	101	29	49.5	37	17.50	3	MST17/8			
	1 1/2	143.5	89.2	49.5	101.0	29	49.5	37	17.5	6	ST11/2	*	*	*
40		147	89.2	49.5	101	29	49.5	37	17.5	4	MST11/2			
		143.5	89.2	49.5	101	29	49.5	37	17.5	6	ST40	*	*	*
		147	89.2	49.5	101	29	49.5	37	17.5	4	MST40			
	1 5/8	147	89.2	49.5	101	29	49.5	37	17.5	7	ST15/8		*	*
	1 11/16	147	89.2	49.5	101	29	49.5	37	17.5	7	ST111/16		*	*
		151	90.5	49.5	101	29	49.5	37	17.5	5	MST111/16			*
	1 3/4	147	89.2	49.5	101	29	49.5	37	17.5	7	ST13/4	*	*	*
		151	90.5	49.5	101	29	49.5	37	17.5	5	MST13/4			
45		147	89.2	49.5	101	29	49.5	37	17.5	7	ST45	*	*	*
		151	90.5	49.5	101	29	49.5	37	17.5	5	MST45			
	1 7/8	151	90.5	49.5	101	29	49.5	37	17.5	8	ST17/8		*	*
		182	114	64	130	35	63.5	46.5	27	6	MST17/8			

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.



**Self-Aligning
Cast Iron Take-Up
Bearing Units**




Shaft Diameter		Housing Dimensions								Pressing Group	Basic Housing Unit	Variants		
		L	L1	H2	H3	N	A	A1	A2			A	EC	DEC
mm	Inch	mm												
50	1 15/16	151	90.5	49.5	101	29	49.5	37	17.5	8	ST115/16		*	*
		182	114	64	130	35	63.5	46.5	27	6	MST115/16			
	2	151	90.5	49.5	101	29	49.5	37	17.5	8	ST50	*	*	*
		182	114	64	130	35	63.5	46.5	27	6	MST50			
55	2 1/8	151	90.5	49.5	101	29	49.5	37	17.5	8	ST2R	*		
		182	114	64	130	35	63.5	46.5	27	9	ST2			*
	2 3/16	182	114	64	130	35	63.5	46.5	27	9	ST21/8			*
		192	119	64	130	35	63.5	46.5	27	9	ST55			*
60	2 1/4	182	114	64	130	35	63.5	46.5	27	7	MST55			
		192	119	64	130	35	63.5	46.5	27	7	MST23/16			*
	2 3/8	182	114	64	130	35	63.5	46.5	27	9	ST23/16			*
		192	119	64	130	35	63.5	46.5	27	7	MST23/16			
65	2 1/2	192	119	64	130	35	63.5	46.5	27	10	ST21/4			*
		192	119	64	130	35	63.5	46.5	27	10	ST60			*
	2 7/16	222.5	137.5	70	150.8	42	70	50.5	27	8	MST60			
		192	119	64	130	35	63.5	46.5	27	10	ST23/8			*
70	2 11/16	192	119	64	130	35	63.5	46.5	27	10	ST27/16			*
		222.5	137.5	70	150.8	42	70	50.5	27	8	MST27/16			
	2 3/4	222.5	137.5	70	150.8	42	70	50.5	27	11	ST21/2			*
		222.5	137.5	70	150.8	42	70	50.5	27	11	ST65			*
75	2 7/8	222.5	137.5	70	150.8	42	70	50.5	27	9	MST65			
		222.5	137.5	70	150.8	42	70	50.5	27	11	ST211/16			*
	3	222.5	137.5	70	150.8	42	70	50.5	27	9	MST211/16			
		222.5	137.5	70	150.8	42	70	50.5	27	12	ST23/4			*
80	2 15/16	222.5	137.5	70	150.8	42	70	50.5	27	11	ST70			*
		222.5	137.5	70	150.8	42	70	50.5	27	9	MST70			
	3 3/16	222.5	137.5	70	150.8	42	70	50.5	27	12	ST27/8			*
		222.5	137.5	70	150.8	42	70	50.5	27	12	ST215/16			*
85	3 1/2	235	139.5	70	165.1	42	70	54	27	10	MST215/16			
		222.5	137.5	70	150.8	42	70	50.5	27	12	ST75			*
	3 7/8	235	139.5	70	165.1	42	70	54	27	10	MST75			
		235	139.5	70	165.1	42	70	54	27	13	ST3			
90	4	235	139.5	70	165.1	42	70	54	27	13	ST80			
		260.4	161.9	73	173	47.6	79.4	68.3	46.05	11	MST80			
95	4 1/8	235	139.5	70	165.1	42	70	54	27	13	ST33/16			
		235	139.5	70	165.1	42	70	54	27	13	ST33/16			

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.



**Self-Aligning
Cast Iron Take-Up
Bearing Units**



Shaft Diameter		Housing Dimensions								Pressing Group	Basic Housing Unit	Varients		
		L	L1	H2	H3	N	A	A1	A2			A	EC	DEC
mm	Inch	mm												
	3 3/16	260.4	161.9	73	173	47.6	79.4	68.3	46.05	11	MST33/16			
	3 1/4	260.4	161.9	73.0	173	47.6	79.4	68.3	46.05	14	ST31/4			
85		260.4	161.9	73	173	47.6	79.4	68.3	46.05	14	ST85			
		266.7	165.1	73	190.5	47.6	79.4	68.3	46.05	12	MST85			
	3 3/8	260.4	161.9	73	173	47.6	79.4	68.3	46.05	14	ST33/8			
	3 7/16	260.4	161.9	73	173	47.6	79.4	68.3	46.05	14	ST37/16			
		266.7	165.1	73	190.5	47.6	79.4	68.3	46.05	12	MST37/16			
	3 1/2	266.7	165.1	73	190.5	47.6	79.4	68.3	46.05	12	MST31/2			
90		266.7	165.1	73	190.5	47.6	79.4	68.3	46.05	12	MST90			
95		317.5	190.5	85.7	235	54	98.4	82.6	55.55	13	MST95			
100		317.5	190.5	85.7	235	54	98.4	82.6	55.55	13	MST100			
	3 15/16	317.5	190.5	85.7	235	54	98.4	82.6	55.55	13	MST315/16			
	4	317.5	190.5	85.7	235	54	98.4	82.6	55.55	13	MST4			

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.