




SNL Plummer Block Housing for Self-Aligning Bearings Series 1500



Shaft Dia	Basic Plummer Block Unit Designation	Separate Component Designations			Adapter Sleeve (& locknut)	Locating Ring(s)	End Cover
		Housing	Basic Seal	Bearing			
inch/mm							
3/4	SNH 1505E	SNH 505	TSNA 505	1205 K	HE 205	2xFRB 5152 P	ASNA 505
20	SNH 1505	SNH 505	TSNA 505	1205 K	H 205	2xFRB 5152 P	ASNA 505
25	SNH 1506	SNH 506-605	TSNP 1506	1206 K	H 206	2xFRB 8162 P	ASNA 506-605
1	SNH 1506E	SNH 506-605	TSNA 506	1206 K	HE 206	2xFRB 8162 P	ASNA 506-605
30	SNH 1507	SNH 507-606	TSNA 507	1207 K	H 207	2xFRB 8,5/72 P	ASNA 507-606
11/4	SNH 1508E	SNH 508-607	TSNA 508	1208 K	HE 208	2xFRB 10,5/80 P	ASNA 508-607
35	SNH 1508	SNH 508-607	TSNA 508	1208 K	H 208	2xFRB 10,5/80 P	ASNA 508-607
11/2	SNH 1509E	SNH 509	TSNA 509	1209 K	HE 209	2xFRB 5,5/85 P	ASNA 509
40	SNH 1509	SNH 509	TSNA 509	1209 K	H 209	2xFRB 5,5/85 P	ASNA 509
13/4	SNH 1510E	SNH 510-608	TSNA 510	1210 K	HE 210	2xFRB 10,5/90 P	ASNA 510-608
45	SNH 1510	SNH 510-608	TSNA 510	1210 K	H 210	2xFRB 10,5/90 P	ASNA 510-608
50	SNH 1511	SNH 511-609	TSNA 511	1211 K	H 211	2xFRB 11,5/100 P	ASNA 511-609
2	SNH 1511E	SNH 511-609	TSNA 511	1211 K	HE 211	2xFRB 11,5/100 P	ASNA 511-609
55	SNH 1512	SNH 512-610	TSNA 512	1212 K	H 212	2xFRB 13/110 P	ASNA 512-610
21/4	SNH 1513E	SNH 513-611	TSNA 513	1213 K	HE 213	2xFRB 14/120 P	ASNA 513-611
60	SNH 1513	SNH 513-611	TSNA 513	1213 K	H 213	2xFRB 14/120 P	ASNA 513-611
21/2	SNH 1515E	SNH 515-612	TSNA 515	1215 K	HE 215	2xFRB 15,5/130 P	ASNA 515-612
65	SNH 1515	SNH 515-612	TSNA 515	1215 K	H 215	2xFRB 15,5/130 P	ASNA 515-612
23/4	SNH 1516E	SNH 516-613	TSNA 516	1216 K	HE 216	2xFRB 16/140 P	ASNA 516-613
70	SNH 1516	SNH 516-613	TSNA 516	1216 K	H 216	2xFRB 16/140 P	ASNA 516-613
75	SNH 1517	SNH 517	TSNA 517	1217 K	H 217	2xFRB 16,5/150 P	ASNA 517
3	SNH 517E	SNH 517	TSNA 517	1217 K	HE 217	2xFRB 16,5/150 P	ASNA 517
80	SNH 1518	SNH 518-615	TSNA 518	1218 K	H 218	2xFRB 17,5/160 P	ASNA 518-615
31/4	SNH 1518E	SNH 518-615	TSNA 518	1218 K	HE 218	2xFRB 17,5/160P	ASNA 518-615
85	SNH 1519	SNH 519-616	TSNA 519	1219 K	H 219	2xFRB 18/170P	ASNA 519-616
31/2	SNH 1520E	SNH 520-617	TSNA 520	1220 K	HE 220	2xFRB 18/180 P	ASNA 520-617
90	SNH 1520	SNH 520-617	TSNA 520	1220 K	H 220	2xFRB 18/180 P	ASNA 520-617
100	SNH 1522	SNH 522-619	TSNA 522	1222 K	H 222	2xFRB 21/200 P	ASNA 522-619
4	SNH 1522E	SNH 522-619	TSNA 522	1222 K	HE 222	2xFRB 21/200 P	ASNA 522-619

For shaft diameters 1¼" & 1½" the basic seal designation suffix for V-ring seals is AE.

For shaft diameters 1¼", 1½", 2¼" & 3¼" the basic seal designation suffix for felt seals is CE.


For shaft diameters ¾", 1¼", 1½", 2¼", 3¼" & 3½" the basic seal designation suffix for double lip seals is GE.

If a dimension is critical to your application please contact our sales department for confirmation.

Please note : errors and omissions excepted.



SNL Plummer Block Housing for Self-Aligning Bearings Series 2500



Shaft Dia	Basic Plummer Block Unit Designation	Separate Component Designations			Adapter Sleeve (& locknut)	Locating Ring(s)	End Cover
		Housing	Basic Seal	Bearing			
inch/mm							
3/4	SNH 2505E	SNH 505	TSNA 505	2205K	HE 305	1xFRB 7/52 P	ASNA 505
20	SNH 2505	SNH 505	TSNB 505	2205K	H 305	1xFRB 7/52 P	ASNA 505
25	SNH 2506	SNH 506-605	TSNP 506	3206K	H 306	2xFRB 6/62 P	ASNA 506-605
1	SNH 2506E	SNH 506-605	TSNA 506	2206K	HE 306	2xFRB 6/62 P	ASNA 506-605
30	SNH 2507	SNH 507-606	TSNA 507	2207K	H 307	2xFRB 5,5/72 P	ASNA 507-606
11/4	SNH 2507E	SNH 507-606	TSNA 507	2207K	HE 307	2xFRB 5,5/72 P	ASNA 507-606
35	SNH 2508	SNH 508-607	TSNA 508	2208K	H 308	2xFRB 8/80 P	ASNA 508-607
11/2	SNH 2509E	SNH 509	TSNA 509	2209K	HE 309	1xFRB 7/85 P	ASNA 509
40	SNH 2509	SNH 509	TSNA 509	2209K	H 309	1xFRB 7/85 P	ASNA 509
13/4	SNH 2510E	SNH 510-608	TSNA 510	2210K	HE 310	2xFRB 9/90 P	ASNA 510-608
45	SNH 2510	SNH 510-608	TSNA 510	2210K	H 310	2xFRB 9/90 P	ASNA 510-608
50	SNH 2511	SNH 511-609	TSNA 511	2211K	H 311	2xFRB 9,5/100 P	ASNA 511-609
2	SNH 2511E	SNH 511-609	TSNA 511	2211K	HE 311	2xFRB 9,5/100 P	ASNA 511-609
55	SNH 2512	SNH 512-610	TSNA 512	2212K	H 312	2xFRB 10/110 P	ASNA 512-610
21/4	SNH 2513E	SNH 513-611	TSNA 513	2213K	HE 313	2xFRB 10/120 P	ASNA 513-611
60	SNH 2513	SNH 513-611	TSNA 513	2213K	H 313	2xFRB 10/120 P	ASNA 513-611
21/2	SNH 2515E	SNH 515-612	TSNA 515	2215K	HE 315	2xFRB 12,5/130 P	ASNA 515-612
65	SNH 2515	SNH 515-612	TSNA 515	2215K	H 315	2xFRB 12,5/130P	ASNA 515-612
23/4	SNH 2516E	SNH 516-613	TSNA 516	2216K	HE 316	2xFRB 12,5/140 P	ASNA 516-613
70	SNH 2516	SNH 516-613	TSNA 516	2216K	H 316	2xFRB 12,5/140 P	ASNA 516-613
75	SNH 2517	SNH 517	TSNA 517	2217K	H 317	2xFRB 12,5/150 P	ASNA 517
3	SNH 2517E	SNH 517	TSNA 517	2217K	HE 317	2xFRB 12,5/150 P	ASNA 517
80	SNH 2518	SNH 518-615	TSNA 518	2218K	H 318	2xFRB 12,5/160 P	ASNA 518-615
31/4	SNH 2518E	SNH 518-615	TSNA 518	2218K	HE 318	2xFRB 12,5/160 P	ASNA 518-615
85	SNH 2519	SNH 519-616	TSNA 519	2219K	H 319	2xFRB 12,5/170 P	ASNA 519-616
31/2	SNH 2520E	SNH 520-617	TSNA 520	2220K	HE 320	2xFRB 12/180 P	ASNA 520-617
90	SNH 2520	SNH 520-617	TSNA 520	2220K	H 320	2xFRB 12/180 P	ASNA 520-617
100	SNH 2522	SNH 522-619	TSNA 522	2222K	H 322	2xFRB 13,5/200 P	ASNA522-619
4	SNH 2522E	SNH 522-619	TSNA 522	2222K	HE 322	2xFRB 13,5/200 P	ASNA 522-619

For shaft diameters 1¼" & 1½" the basic seal designation suffix for V-ring seals is AE.

For shaft diameters 1¼", 1½", 2¼" & 3¼" the basic seal designation suffix for felt seals is CE.


For shaft diameters ¾", 1¼", 1½", 2¼", 3¼" & 3½" the basic seal designation suffix for double lip seals is GE.

If a dimension is critical to your application please contact our sales department for confirmation.

Please note : errors and omissions excepted.



SNL Plummer Block Housing for Self-Aligning Bearings Series 1600



Shaft Dia	Basic Plummer Block Unit Designation	Separate Component Designations			Adapter Sleeve (& locknut)	Locating Ring(s)	End Cover
		Housing	Basic Seal	Bearing			
inch/mm							
3/4	SNH 1605E	SNH 506-605	TSNA 605	1305 K	HE 305	2xFRB 7,5/62 P	ASNA 506-605
20	SNH 1605	SNH 506-605	TSNA 605	1305 K	H 305	2xFRB 7,5/62 P	ASNA 506-605
25	SNH 1606	SNH 507-606	TSN 606	1306 K	H 306	2xFRB 7,5/72 P	ASNA 507-606
1	SNH 1606E	SNH 507-606	TSNA 606	1306 K	HE 306	2xFRB 7,5/72 P	ASNA 507-606
30	SNH 1607	SNH 508-607	TSNA 607	1307 K	H 307	2xFRB 9/80 P	ASNA 508-607
11/4	SNH 1608E	SNH 510-608	TSNA 608	1308 K	HE 308	2xFRB 9/90 P	ASNA 510-608
35	SNH 1608	SNH 510-608	TSNA 608	1308 K	H 308	2xFRB 9/90 P	ASNA 510-608
11/2	SNH 1809E	SNH 511-609	TSNA 609	1309 K	HE 309	2xFRB 9,5/100 P	ASNA 511-609
40	SNH 1609	SNH 511-609	TSNA 609	1309 K	H 309	2xFRB 9,5/100 P	ASNA 511-609
13/4	SNH 1610E	SNH 512-610	TSNA 610	1310K	HE 310	2xFRB 10,5/110 P	ASNA 512-610
45	SNH 1610	SNH 512-610	TSNA 610	1310K	H 310	2xFRB 10,5/110 P	ASNA 512-610
50	SNH 1611	SNH 513-611	TSNA 611	1311 K	H 311	2xFH 11/120 P	ASNA 513-611
2	SNH 1611E	SNH 513-611	TSNA 611	1311 K	HE 311	2xFRB 11/120 P	ASNA 513-611
55	SNH 1612	SNH 515-612	TSNA 612	1312K	H 312	2xFRB 12,5/130 P	ASNA 515-612
21/4	SNH 1613E	SNH 516-613	TSNA 613	1313K	HE 313	2xFRB 12,5/140 P	ASNA 516-613
60	SNH 1613	SNH 516-613	TSNA 613	1313K	H 313	2xFRB 12,5/140 P	ASNA 516-613
21/2	SNH 1615E	SNH 518-615	TSNA 615	1315 K	HE 315	2xFRB 14/160 P	ASNA 518-615
65	SNH 1615	SNH 518-615	TSNA 615	1315K	H 315	2xFRB 14/160 P	ASNA 518-615
23/4	SNH 1616E	SNH 519-616	TSNA 616	1316 K	HE 316	2xFRB 14,5/170 P	ASNA 519-616
70	SNH 1616	SNH 519-616	TSNA 616	1316 K	H 316	2xFRB 14,5/170 P	ASNA 519-616
75	SNH 1617	SNH 520-617	TSNA 617	1317K	H 317	2xFRB 14,5/180 P	ASNA 520-617
3	SNH 1617E	SNH 520-617	TSNA 617	1317K	HE 317	2xFRB 14,5/180 P	ASNA 520-617

For shaft diameters 1¼" & 1½" the basic seal designation suffix for V-ring seals is AE.

For shaft diameters 1¼", 1½", 2¼" & 3¼" the basic seal designation suffix for felt seals is CE.


For shaft diameters ¾", 1¼", 1½", 2¼", 3¼" & 3½" the basic seal designation suffix for double lip seals is GE.

If a dimension is critical to your application please contact our sales department for confirmation.

Please note : errors and omissions excepted.



SNL Plummer Block Housing for Self-Aligning Bearings Series 2600



Shaft Dia	Basic Plummer Block Unit Designation	Separate Component Designations			Adapter Sleeve (& locknut)	Locating Ring(s)	End Cover
		Housing	Basic Seal	Bearing			
inch/mm							
25	SNH 2606	SNH 507-606	TSNA 606	2306 K	H 2306	1xFRB 7/72 P	ASNR 507-606
1	SNH 2606E	SNH 507-606	TSNA 606	2306 K	HE 2306	1xFRB 7/72 P	ASNA 507-606
30	SNH 2607	SNH 508-607	TSNA 607	2307 K	H 2307	1xFRB 8/80 P	ASNA 508-607
11/4	SNH 2608E	SNH 510-608	TSNA 608	2308 K	HE 2308	1xFRB 8/90 P	ASNA 510-608
35	SNH 2608	SNH 510-608	TSNA 608	2308 K	H 2308	1xFRB 8/90 P	ASNA 510-608
11/2	SNH 2609E	SNH 511-609	TSNA 609	2309 K	HE 2309	1xFRB 8/100 P	ASNA 511-609
40	SNH 2609	SNH 511-609	TSNA 609	2309 K	H 2309	1xFRB 8/100 P	ASNA 511-609
13/4	SNH 2610E	SNH 512-610	TSNA 810	2310 K	HE 2310	1xFRB 8/110 P	ASNA 512-610
45	SNH 2610	SNH 512-610	TSNA 610	2310 K	H 2310	1xFRB 8/110 P	ASNA 512-610
50	SNH 2611	SNH 513-611	TSNA 611	2311 K	H 2311	1xFRB 8/120 P	ASNA 513-611
2	SNH 2611E	SNH 513-611	TSNA 611	2311 K	HE 2311	1xFRB 8/120 P	ASNA 513-611
55	SNH 2612	SNH 515-612	TSNA 612	2312 K	H 2312	1xFRB 10/130 P	ASNA 515-612
21/4	SNH 2613E	SNH 516-613	TSNA 613	2313 K	HE 2313	1xFRB 10/140 P	ASNA 516-613
60	SNH 2613	SNH 516-613	TSNA 613	2313 K	H 2313	1xFRB 10/140 P	ASNA 516-613
21/2	SNH 2615E	SNH 518-615	TSNA 615	2315 K	HE 2315	1xFRB 10/160 P	ASNA 518-615
65	SNH 2615	SNH 518-615	TSNA 615	2315 K	H 2315	1xFRB 10/160 P	ASNA 518-615
23/4	SNH 2616E	SNH 519-616	TSNA 616	2316 K	HE 2316	1xFRB 10/170P	ASNA 519-616
70	SNH 2616	SNH 519-616	TSNA 616	2316 K	H 2316	1xFRB 10/170 P	ASNA 519-616
75	SNH 2617	SNH 520-617	TSNA617	2317 K	H 2317	1xFRB 10/180 P	ASNA 520-617
3	SNH 2617E	SNH 520-617	TSNA 617	2317 K	HE 2317	1xFRB 10/180 P	ASNA 520-617

For shaft diameters 1¼" & 1½" the basic seal designation suffix for V-ring seals is AE.

For shaft diameters 1¼", 1½", 2¼" & 3¼" the basic seal designation suffix for felt seals is CE.


For shaft diameters ¾", 1¼", 1½", 2¼", 3¼" & 3½" the basic seal designation suffix for double lip seals is GE.

If a dimension is critical to your application please contact our sales department for confirmation.

Please note : errors and omissions excepted.



SNL Plummer Block Housing for Self-Aligning Bearings Series 22500



Shaft Dia	Basic Plummer Block Unit Designation	Separate Component Designations			Adapter Sleeve (& locknut)	Locating Ring(s)	End Cover
		Housing	Basic Seal	Bearing			
inch/mm							
30	SNH 22507	SNH 507-606	TSNA 507	22207 CCK	H 307	2xFRB 5,5/72 P	ASNA 507-606
11/4	SNH 22508E	SNH 508-607	TSNA 508	22208 CCK	HE 308	2xFRB 8/80 P	ASNA 508-607
35	SNH 22508	SNH 508-607	TSNA 508	22208 CCK	H 308	2xFRE 8/80 P	ASNA 508-607
11/2	SNH 22509E	SNH 509	TSNA 509	22209 CCK	HE 309	1xFRB 7/85 P	ASNA 509
40	SNH 22509	SNH 509	TSNA 509	22209 CCK	H 309	1xFRB 7/85 P	ASNP 509
13/4	SNH 22510E	SNH 510-608	TSNA 510	22210 CCK	HE 310	2xFRB 9/90 P	ASNA 510-608
45	SNH 22510	SNH 510-608	TSNA 510	22210 CCK	H 310	2xFRB 9/94 P	ASNA 510-608
50	SNH 22511	SNH 511-609	TSNA 511	22211 CCK	H 311	2xFRB 9,5/100 P	ASNA 511-609
2	SNH 22511E	SNH 511-609	TSNA 511	22211 CCK	HE 311	2xFRB 9,5/100 P	ASNA 511-609
55	SNH 22512	SNH 512-610	TSNA 512	22212 CCK	H312	2xFRB 10/110 P	ASNA 512-610
21/4	SNH 22513E	SNH 513-611	TSNA 513	22213 CCK	HE 313	2xFRB 10/120 P	ASNA 513-611
60	SNH 22513	SNH 513-611	TSNA 513	22213 CCK	H 313	2xFRB 10/120 P	ASNA 513-611
21/2	SNH 22515E	SNH 515-612	TSNA 515	22215 CCK	HE 315	2xFRB 12,5/130 P	ASNA 515-612
65	SNH 22515	SNH 515-612	TSNA 515	22215 CCK	H 315	2xFRB 12,5/130 P	ASNA 515-612
23/4	SNH 22516E	SNH 516-613	TSNA 516	22216 CCK	HE 316	2xFRB 12,5/140 P	ASNA 516-613
70	SNH 22516	SNH 516-613	TSNA 516	22216 CCK	H 316	2xFRB 12,5/140 P	ASNA 516-613
75	SNH 22517	SNH 517	TSNA 517	22217 CCK/W33	H 317	2xFRB 12,5/150 P	ASNA 517
3	SNH 22517E	SNH 517	TSNA 517	22217 CCW/W33	HE 317	2xFRB 12,5/150 P	ASNA 517
80	SNH 22518	SNH 518-615	TSNA 518	22218 CCK/W33	H 318	2xFRB 12,5/160 P	ASNA 518-615
31/4	SNH 22518E	SNH 518-615	TSNA 518	22218 CCK/W33	HE 318	2xFRB 12,5/160 P	ASNA 518-615
85	SNH 22519	SNH 519-616	TSNA 519	22219 CCK/W33	H 319	2xFRB 12,5/170 P	ASNA 519-616
31/2	SNH 22520E	SNH 520-617	TSNA 520	22220 CCK/W33	HE 320	2xFRB 12/180 P	ASNA 520-617
90	SNH 22520	SNH 520-617	TSNA 520	22220 CCK/W33	H 320	2xFRB 12/180P	ASNA 520-617
100	SNH 22522	SNH 522-619	TSNA 522	22222 CCK/W33	H 322	2xFRB 13,5/200 P	ASNA 522-619
4	SNH 22522E	SNH 522-619	TSNA 522	22222 CCK/W33	HE 322	2xFRB 13,5/200 P	ASNA 522-619
41/4	SNH 22524E	SNH 524-620	TSNA 524	22224 CCK/W33	HE 3124	2xFRB 14/215 P	ASNA 524-620
110	SNH 22524	SNH 524-620	TSNA 524	22224 CCKIW33	H 3124	2xFRB 14/215 P	ASNA 524-620
41/2	SNH 22526E	SNH 526	TSNA 526	22226 CCK/W33	HE 3126	2xFRB 131230 P	ASNA 526
115	SNH 22526	SNH 526	TSNA 526	22226 CCK/W33	H 3126	2xFRE 131230 P	ASNA 526
125	SNH 22528	SNH 528	TSNA 528	22228 CCK/W33	H 3128	2xFRB 151250 P	TSNA 528
5	SNH 22528E	SNH 528	TSNA 528	22228 CCK/W33	HE 3128	2xFRB 151250 P	ASNA 528
51/4	SNH 22530E	SNH 530	TSNA 530	22230 CCK/W33	HE 3130	2xFRB 16,5/270 P	ASNA 530
135	SNH 22530	SNH 530	TSNA 530	22230 CCK/W33	H 3130	2xFRB 16,5/270 P	ASNA 530
51/2	SNH 22532E	SNH 532	TSNA 532	22232 CCK/W33	HE 3132	2xFRB 17/290 P	ASNA 532
140	SNH 22532	SNH 532	TSNA 532	22232 CCK/W33	H 3132	2xFRB 17/290 P	ASNA 532

For shaft diameters 1¼" & 1½" the basic seal designation suffix for V-ring seals is AE.

For shaft diameters 1¼", 1½", 2¼" & 3¼" the basic seal designation suffix for felt seals is CE.


For shaft diameters ¾", 1¼", 1½", 2¼", 3¼" & 3½" the basic seal designation suffix for double lip seals is GE.

If a dimension is critical to your application please contact our sales department for confirmation.

Please note : errors and omissions excepted.



SNL Plummer Block Housing for Self-Aligning Bearings Series 23500



Shaft Dia	Basic Plummer Block Unit Designation	Separate Component Designations			Adapter Sleeve (& locknut)	Locating Ring(s)	End Cover
		Housing	Basic Seal	Bearing			
inch/mm							
80	SNH 23518	SNH 518-615	TSNA 518	23218 CCK	H 2318	1xFRB 12,5/160 P	ASNA 518-615
31/4	SNH 23518E	SNH 518-615	TSNA 518	23218 CCK	HE 2318	1xFRB 12,5/160 P	ASNA 518-615
31/2	SNH 23520E	SNH 520-617	TSNA 520	23220 CCK/W33	HE 2320	1xFRB 9,7/180 P	ASNA 520-617
90	SNH 23520	SNH 520-617	TSNA 520	23220 CCK/W33	H 2320	1xFRB 9,7/180 P	ASNA 520-617
100	SNH 23522	SNH 522-619	TSNA 522	23222 CCK/W33	H 2322	1xFF1B 10,2/200 P	ASNA 522-619
4	SNH 23522E	SNH 522-619	TSNA 522	23222 CCK/W33	H 2322	1xFRB 10,2/200 P	ASNA 522-619
41/4	SNH 23524E	SNH 524-620	TSNA~524	23224 CCK/W33	HE 2324	1xFRB 10/215 P	ASNA 524-620
110	SNH 23524	SNH 524-620	TSNA 524	23224 CCK/W33	H 2324	1xFRB 10/215 P	ASNA 524-620
41/2	SNH 23526E	SNH 526	TSNA 526	23226 CCK/W33	HE 2326	1xFRB 10/230 P	ASNA 526
115	SNH 23526	SNH 526	TSNA 526	23226 CCK/W33	H 2326	1xFRB 10/230 P	ASNA 526
125	SNH 23528	SNH 528	TSNA 528	23228 CCK/W33	H 2328	1xFRB 10/250 P	ASNA 528
5	SNH 23528E	SNH 528	TSNA 528	23228 CCK/W33	HE 2328	1xFRB 10/250 P	ASNA 528
51/4	SNH 23530E	SNH 530	TSNA 530	23230 CCK/W33	HE 2330	1xFRB 10/270 P	ASNA 530
135	SNH 23530	SNH 530	TSNA 530	23230 CCK/W33	H 2330	1xFRB 10/270 P	ASNA 530
51/2	SNH 23532E	SNH 532	TSNA 532	23232 CCK/W33	HE 2332	1xFRB 10/290 P	ASNA 532
140	SNH 23532	SNH 532	TSNA 532	23232 CCK/W33	H 2332	1xFRB 10/290 P	ASNA 532

For shaft diameters 3/4 the basic seal designation suffix for felt seals is CE.


For shaft diameters 3/4, 3/2, 4/4, 5" & 5/4 the basic seal designation suffix for double lip seals is GE.

If a dimension is critical to your application please contact our sales department for confirmation.

Please note : errors and omissions excepted.



SNL Plummer Block Housing for Self-Aligning Bearings Series 21600



Shaft Dia	Basic Plummer Block Unit Designation	Separate Component Designations			Adapter Sleeve (& locknut)	Locating Ring(s)	End Cover
		Housing	Basic Seal	Bearing			
inch/mm							
11/4	SNH 21608E	SNH 510-608	TSNA 608	21308 CCK	HE 308	2xFRB 9190 P	ASNA 510-608
35	SNH 21608	SNH 510-608	TSNA 608	21308 CCK	H 308	2xFRB 9190 P	ASNA 510-608
11/2	SNH 21609E	SNH 511-609	TSNA 609	21309 CCK	HE 309	2xFRB 9,5/100 P	ASNA 511-609
40	SNH 21609	SNH 511-609	TSNA 609	21309 CCK	H 309	2xFRB 9,5/100 P	ASNA 511-609
13/4	SNH 21610E	SNH 512-610	TSNA 610	21310 CCK	HE 310	2xFRB 10,5/110 P	ASNA 512-610
45	SNH 21610	SNH 512-610	TSNA 610	21310 CCK	H 310	2xFRB 10,5/110 P	ASNA 512-610
50	SNH 21611	SNH 513-611	TSNA 611	21311 CCK	H 311	2xFRB 11/120 P	ASNA 513-611
2	SNH 21611E	SNH 513-611	TSNA 611	21311 CCK	HE 311	2xFRB 11/120 P	ASNA 513-611
55	SNH 21612	SNH 515-612	TSNA 612	21312 CCK	H 312	2xFRB 12,5/130 P	ASNA 515-612
21/4	SNH 21613E	SNH 516-613	TSNA 613	21313 CCK	HE 313	2xFRB 12,5/140 P	ASNA 516-613
60	SNH 21613	SNH 516-613	TSNA 613	21313 CCK	H 313	2xFRB 12,5/140 P	ASNA 516-613
21/2	SNH 21615E	SNH 518-615	TSNA 615	21315 CCK	HE 315	2xFRB 14/160 P	ASNA 518-615
65	SNH 21615	SNH 518-615	TSNA 615	21315 CCK	H 315	2xFRB 14/130 P	ASNA 518-615
23/4	SN.H 21616E	SNH 519-616	TSNA 616	21316 CCK	HE 316	2xFRB 14,5/170 P	ASNA 519-616
70	SNH 21616	SNH 519-616	TSNA 616	21316 CCK	H 316	2xFRB 14,5/170 P	ASNA 519-616
75	SNH 21617	SNH 520-617	TSNA 617	21317 CCK	H 317	2xFRB 14,5/180 P	ASNA 520-617
3	SNH 21617E	SNH 520-617	TSNA 617	21317 CCK	HE 317	2xFRB 14,5/180 P	ASNA 520-617

For shaft diameters 1¼" & 1½" the basic seal designation suffix for V-ring seals is AE.

For shaft diameters 1¼", 1½" & 2¼" the basic seal designation suffix for felt seals is CE.


For shaft diameters 1¼", 1½", 2¼" & 2½" the basic seal designation suffix for double lip seals is GE.

If a dimension is critical to your application please contact our sales department for confirmation.

Please note : errors and omissions excepted.



SNL Plummer Block Housing for Self-Aligning Bearings Series 22600



Shaft Dia	Basic Plummer Block Unit Designation	Separate Component Designations			Adapter Sleeve (& locknut)	Locating Ring(s)	End Cover
		Housing	Basic Seal	Bearing			
inch/mm							
1 1/4	SNH 22608E	SNH 510-608	TSNA 608	22308 CCK	HE 2308	1xFRB 8/90 P	ASNA 510-608
35	SNH 22608	SNH 510-608	TSNA 608	22308 CCK	H 2308	1xFRB 8/90 P	ASNA 510-608
1 1/2	SNH 22609E	SNH 511-609	TSNA 609	22309 CCK	HE 2309	1xFRB 8/100 P	ASNA 511-609
40	SNH 22609	SNH 511-609	TSNA 609	22309 CCK	H 2309	1xFRB 8/100 P	ASNA 511-609
1 3/4	SNH 22610E	SNH 512-610	TSNA 610	22310 CCK	HE 2310	1xFRB 8/110 P	ASNA 512-610
45	SNH 22610	SNH 512-610	TSNA 610	22310 CCK	H 2310	2xFRB 8/110 P	ASNA 512-610
50	SNH 22611	SNH 513-611	TSNA 611	22311 CCK	H 2311	1xFRB 8/120 P	ASNA 513-611
2	SNH 22611E	SNH 513-611	TSNA 611	22311 CCK	HE 2311	1xFRB 8/120 P	ASNA 513-611
55	SNH 22612	SNH 515-612	TSNA 612	22312 CCK	H 2312	1xFRB 10/130 P	ASNA 515-612
2 1/4	SNH 22613E	SNH 516-613	TSNA 613	22313 CCK	HE 2313	1xFRB 10/140 P	ASNA 516-613
60	SNH 22613	SNH 516-613	TSNA 613	22313 CCK	H 2313	1xFRB 10/140 P	ASNA 516-613
2 1/2	SNH 22615E	SNH 518-615	TSNA 615	22315 CCK/W33	HE 2315	1xFRB 10/160 P	ASNA 518-615
65	SNH 22615	SNH 518-615	TSNA 615	22315 CCK/W33	H 2315	1xFRB 10/160 P	ASNA 518-615
2 3/4	SNH 22616E	SNH 519-616	TSNA 616	22316 CCK/W33	HE 2316	1xFRB 10/170 P	ASNA 519-616
70	SNH 22616	SNH 519-616	TSNA 616	22316 CCK/W33	H 2316	1xFRB 10/170 P	ASNA 519-616
75	SNH 22617	SNH 520-617	TSNA 617	22317 CCK/W33	H 2317	1xFRB 10/180 P	ASNA 520-617
3	SNH 22617E	SNH 520-617	TSNA 617	22317 CCK/W33	HE 2317	1xFRB 10/180 P	ASNA 520-617
3 1/4	SNH 22619E	SNH 522-619	TSNA 619	22319 CCK/W33	HE 2319	1xFRB 13/200 P	ASNA 522-619
85	SNH 22619	SNH 522-619	TSNA 619	22319 CCK/W33	H 2319	1xFRB 13/200 P	ASNA 522-619
3 1/2	SNH 22620E	SNH 524-620	TSNA 620	22320 CCK/W33	HE 2320	1xFRB 13/215 P	ASNA 524-620
90	SNH 22620	SNH 524-628	TSNA 620	22320 CCK/W33	H 2320	1xFRB 13/215 P	ASNA 524-620

For shaft diameters 1 1/4" & 1 1/2" the basic seal designation suffix for V-ring seals is AE.

For shaft diameters 1 1/4", 1 1/2" & 2 1/4" the basic seal designation suffix for felt seals is CE.

For shaft diameters 1 1/4", 1 1/2", 2 1/4", 2 1/2", 3 1/4" & 3 1/2" the basic seal designation suffix for double lip seals is GE.

If a dimension is critical to your application please contact our sales department for confirmation.

Please note : errors and omissions excepted.