



SPZ - Section

This is NOT a comprehensive list.
Please enquire for other sizes.

Pitch Diameter	No. of Grooves	Bush Number	Approx Weight (Kg)	Pitch Diameter	No. of Grooves	Bush Number	Approx Weight	Pitch Diameter	No. of Grooves	Bush Number	Approx Weight		
50	1	1008	0.35	125	1	1610	1.36	224	1	2012	4.64		
	2	1008	0.42		2	1610	1.71		2	2012	5.26		
56	1	1008	0.44		3	2012	2.03		3	2012	6.60		
	2	1108	0.49		4	2012	2.35		4	2012	7.71		
60	1	1008	0.29		5	2012	2.67		5	2517	8.33		
	2	1108	0.61		6	2517	2.82		6	2517	8.94		
63	1	1108	0.27	132	1	1610	1.52	250	8	2517	13.38		
	2	1108	0.31		2	1610	1.97		1	3020	3.90		
	3	1108	0.32		3	2012	2.36		2	2012	4.87		
67	1	1108	0.33		4	2012	2.70		3	2012	5.85		
	2	1108	0.38		5	2517	2.98		4	2012	7.69		
	3	1108	0.50		6	2517	3.32		5	2517	8.69		
71	1	1108	0.37	140	1	1610	1.71	280	6	2517	9.69		
	2	1108	0.46		2	1610	2.27		8	2517	8.52		
	3	1108	0.62		3	2012	2.76		1	3020	4.32		
75	1	1108	0.42		4	2012	3.12		2	2012	5.45		
	2	1210	0.44		5	2517	3.55		3	2012	7.45		
	3	1210	0.57		6	2517	3.92		4	2517	8.60		
80	1	1210	0.53	150	8	2517	4.64	315	5	2517	9.77		
	2	1210	0.56		1	1610	1.97		6	2517	10.95		
	3	1210	0.74		2	2012	2.85		8	2517	13.70		
	4	1210	0.92		3	2012	3.29		1	3020	4.88		
85	1	1210	0.65		4	2517	3.92		2	2012	6.20		
	2	1610	0.53		5	2517	4.32		3	2012	8.39		
	3	1610	0.70		6	2517	4.71		4	2517	9.75		
	4	1610	0.87		8	2517	5.50		5	2517	11.13		
	5	1610	1.03	1	1610	2.24	6	2517	12.52				
90	1	1210	0.72	160	2	2012	2.33	355	1	2517	5.46		
	2	1610	0.66		3	2012	3.86		2	2012	6.99		
	3	1610	0.88		4	2517	4.71		3	2012	9.41		
	4	1610	1.09		5	2517	5.13		4	2517	10.99		
	5	1610	1.30		6	2517	5.56		5	2517	12.60		
95	1	1210	0.85		170	8	2517		6.40	400	6	2517	14.24
	2	1610	0.79			1	1610		2.54		8	3030	19.61
	3	1610	1.02			2	2012		3.84		450	1	2012
	4	1610	1.25	3		2012	4.46	2	2012			9.07	
	5	1610	1.48	4		2517	5.55	3	2517			10.92	
100	1	1210	0.93	5		2517	6.00	4	2517			12.81	
	2	1610	0.93	6	2517	6.45	5	2517	15.48				
	3	1610	1.17	180	1	1310	2.85	6	3030	19.26			
	4	1610	1.41		2	2012	4.38	8	3030	22.53			
	5	2012	1.29		3	2012	5.10	500	2	2517	10.13		
	6	2012	1.73		4	2517	6.43		3	2517	12.26		
106	1	1610	0.97		5	2517	6.92		4	3020	15.24		
	2	1610	1.10		6	2517	7.40		5	3020	17.42		
	3	1610	1.37	8	2517	8.37	6		3030	21.52			
	4	1610	1.65	190	1	1610	3.18		8	3535	29.49		
	5	2012	1.55		2	2012	4.96	630	2	2517	11.97		
	6	2012	2.05		3	2012	4.86		3	2517	14.98		
112	1	1610	1.08		4	2517	5.86		4	3020	20.19		
	2	1610	1.28		5	2517	6.38		5	3030	22.14		
	3	2012	1.47		6	2517	6.89		6	3030	27.15		
	4	2012	1.75	200	1	2012	3.78		800	3	2517	21.46	
	5	2012	2.03		2	2012	4.32	4		3030	28.37		
	6	2012	2.30		3	2012	5.34	5		3030	32.82		
118	1	1610	1.21		4	2517	6.38	6		3535	41.48		
	2	1610	1.47		5	2517	6.92	800		3	3020	31.68	
	3	2012	1.71		6	2517	7.47			4	3030	35.49	
	4	2012	2.00	8	3020	10.20	5		3535	49.70			
	5	2012	2.28				6		3535	55.97			
	6	2517	1.72										

Taper Bored Wedge Pulleys (Cast Iron)



SPA - Section

This is NOT a comprehensive list.
Please enquire for other sizes.

Pitch Diameter	No. of Grooves	Bush Number	Approx Weight (Kg)	Pitch Diameter	No. of Grooves	Bush Number	Approx Weight	Pitch Diameter	No. of Grooves	Bush Number	Approx Weight	
63	1	1108	0.61	132	1	1610	1.66	280	1	2012	7.34	
	2	1108	0.72		2	2012	2.15		2	2517	10.32	
67	1	1108	0.31		3	2012	2.52		3	2517	11.45	
	2	1108	0.44		4	2517	2.84		4	3020	14.52	
71	1	1108	0.37		5	2517	3.21		5	3535	19.72	
	2	1108	0.52		6	2517	3.59		6	3535	20.85	
	3	1108	0.68	140	1	1610	1.90	315	1	2012	5.61	
75	1	1108	0.43		2	2012	2.53		2	2517	8.19	
	2	1108	0.50		3	2517	3.00		3	3020	16.56	
	3	1108	0.68		4	2517	3.40		4	3020	17.85	
80	1	1210	0.51		5	2517	3.80		5	3535	23.20	
	2	1210	0.64		6	2517	4.21		6	3535	24.48	
	3	1210	0.88	150	1	1610	2.22	355	1	2012	6.40	
85	1	1210	0.62		2	2012	3.04		2	2517	9.26	
	2	1210	0.79		3	2517	3.72		3	3020	13.32	
	3	1210	1.09		4	2517	4.16		4	3020	15.34	
90	1	1210	0.71		5	2517	4.59		5	3535	22.32	
	2	1610	0.73		6	2517	5.03		6	3535	24.34	
	3	1610	0.96	160	1	1610	2.56	400	1	2012	7.33	
	4	1615	1.28		2	2012	3.23		2	2517	10.50	
95	1	1210	0.81		3	2517	4.51		3	3020	14.87	
	2	1610	0.86		4	2517	5.05		4	3020	17.24	
	3	1610	1.11		5	2517	5.58		5	3535	24.55	
	4	1615	1.83		6	2517	6.12		6	3535	26.93	
100	1	1610	0.81	170	1	1610	2.92	450	1	2012	8.26	
	2	1610	1.00		2	2012	3.57		2	2517	11.79	
	3	1610	1.26		3	2517	5.34		3	3020	16.53	
	4	1615	1.72		4	2517	5.91		4	3020	20.82	
	5	1615	1.98	180	1	1610	3.31		5	3535	25.47	
	6	1615	2.24		2	2012	3.82		6	3535	29.73	
106	1	1610	0.97		3	2517	6.21	500	1	2517	10.70	
	2	1610	1.19		4	2517	6.83		2	2517	14.31	
	3	1610	1.48		5	3020	6.85		3	3020	19.95	
	4	2012	1.63		6	3020	7.46		4	3020	26.24	
	5	2012	1.93	190	1	1610	3.72		5	3535	29.94	
	6	2012	2.22		2	2012	4.18		6	3535	36.25	
112	1	1610	1.12		3	2517	7.14	560	2	3020	18.07	
	2	1610	1.37		4	2517	7.79		3	3020	22.26	
	3	2012	1.57		200	1	2012		3.93	4	3535	31.46
	4	2012	1.87			2	2517		5.40	5	3535	35.84
	5	2012	2.17	3		2517	6.58		6	3535	40.33	
	6	2012	2.47	4		3020	8.43		630	1	2517	15.11
118	1	1610	1.27	5		3020	9.12	2		3020	21.94	
	2	1610	1.56	6		3020	9.81	3		3020	26.90	
	3	2012	1.81	224	1	2012	4.88	4		3535	26.89	
	4	2012	2.12		2	2517	4.33	5		3535	42.07	
	5	2012	2.42		3	2517	7.80	6		4040	54.43	
	6	2012	2.72		4	3020	11.48	800	3	3535	44.07	
125	1	1610	1.46		5	3020	12.36		4	3535	51.21	
	2	1610	1.83		6	3020	13.24		5	4040	65.58	
	3	2012	2.18	250	1	2012	5.95		6	4040	72.97	
	4	2012	2.53		2	2517	8.41		1000	3	3535	89.20
	5	2012	2.88		3	2517	9.40			4	4040	75.76
	6	2012	3.23		4	3020	10.47	5		4545	91.63	
			5		3020	11.47	6	4545		101.45		
			6		3020	12.46						



SPB - Section

This is NOT a comprehensive list.
Please enquire for other sizes.

Pitch Diameter	No. of Grooves	Bush Number	Approx Weight (Kg)	Pitch Diameter	No. of Grooves	Bush Number	Approx Weight	Pitch Diameter	No. of Grooves	Bush Number	Approx Weight				
100	1	1610	0.80	212	1	2012	4.62	400	2	3020	15.17				
	2	1610	1.21		2	2517	8.78		3	3535	25.51				
	3	1610	1.63		3	2517	7.54		4	3535	28.79				
112	1	1610	1.14		4	3020	10.96		5	3535	32.10				
	2	1610	1.64		5	3020	12.20		6	3535	35.46				
	3	1610	2.17		6	3535	15.87	8	4040	44.32					
118	1	1610	1.32		8	3535	18.33	10	4040	50.20	450	2	3020	17.54	
	2	1610	1.86		224	1	2012	5.11	3	3535		28.44			
	3	1610	2.44	2		2517	6.87	4	3535	32.31					
125	1	1610	1.55	3		2517	8.18	5	3535	36.24					
	2	2012	2.08	4		3020	12.56	6	4040	46.04					
	3	2012	2.72	5		3020	13.87	8	4040	52.08					
	4	2012	3.35	6		3535	18.54	10	4545	65.62					
132	5	2012	3.65	8		3535	21.17	10	3535	23.79	500	2	3020	20.73	
	1	1610	1.79	10		3535	23.79	1	2012	5.62		3	3535	32.60	
	2	2012	2.42	236		1	2012	5.62	2	2517		7.46	4	3535	37.60
	3	2012	3.10			2	2517	7.46	3	2517		8.85	5	3535	42.72
	4	2012	3.78		3	2517	8.85	4	3020	14.23		6	4040	53.69	
140	5	2517	3.25		4	3020	14.23	5	3535	19.96	8	4040	62.03		
	1	1610	2.09		5	3535	19.96	6	3535	21.36	10	4545	76.34		
	2	1610	2.83		6	3535	21.36	8	3535	24.14	560	2	3030	25.79	
	3	2010	3.56		8	3535	24.14	10	3535	26.93		3	3535	36.72	
4	2517	4.02	250		1	2012	7.16	1	2012	7.16		4	3535	42.61	
5	2517	4.69			2	2517	9.01	2	2517	9.01		5	4040	54.47	
6	2517	5.35			3	3020	10.88	3	3020	10.88		6	4040	60.50	
150	1	1610		2.48	4	3020	13.00	4	3020	13.00	8	4545	76.19		
	2	2012		3.37	5	3535	23.34	5	3535	24.83	10	4545	85.87		
	3	2517		4.17	6	3535	24.83	6	3535	24.83	630	2	3030	32.00	
4	2517	4.97		8	3535	27.80	8	3535	27.80	3		3535	43.87		
5	2517	5.77		10	3535	30.78	10	3535	30.78	4		3535	50.90		
6	2517	6.56		280	1	2012	8.99	1	2012	8.99		5	4040	63.86	
160	1	1610			2.90	2	2517	11.05	2	2517		11.05	6	4040	71.09
	2	2012	3.94		3	3020	13.11	3	3020	13.11	8	4545	88.38		
	3	2517	4.98		4	3020	15.82	4	3020	15.82	10	4545	99.79		
	4	2517	5.84		5	3535	23.47	5	3535	23.47	710	3	3535	51.18	
	5	2517	6.71		6	3535	25.16	6	3535	25.16		4	3535	59.85	
6	3020	6.70	8		3535	28.54	8	3535	28.54	5		4040	74.42		
8	3020	8.42	10		3535	32.53	10	3535	32.53	6		4040	83.35		
170	1	1610	3.35		300	2	2517	12.52	2	2517		12.52	8	4545	103.31
	2	2012	4.56			3	3020	14.72	3	3020	14.72	10	4545	117.47	
	3	2517	5.84	4		3020	17.84	4	3020	17.84	800	3	3535	61.40	
	4	2517	6.77	5		3535	25.63	5	3535	25.63		4	4040	77.46	
	5	3020	6.91	6		3535	27.45	6	3535	27.45		5	4040	87.85	
	6	3020	7.84	8		3535	31.10	8	3535	31.10		6	4545	104.35	
	8	3030	12.01	315		1	2012	11.39	1	2012		11.39	8	4545	120.73
	180	1	1610			3.22	2	2517	13.68	2	2517	13.68	10	4545	137.32
2		2517	5.73			3	3020	15.78	3	3020	15.78	900	3	3535	70.82
3		2517	6.75			4	3535	25.49	4	3535	25.49		4	4040	88.56
4		2517	7.75		5	3535	27.32	5	3535	27.32	5		4545	106.71	
5		3020	8.04		6	3535	29.25	6	3535	29.25	6		4545	119.01	
6		3020	9.04		8	3535	33.10	8	3535	33.10	8		4545	138.00	
8		3030	13.72		10	3535	38.07	10	3535	38.07	10	5050	165.94		
190		1	2012		3.79	335	2	2517	15.31	2	2517	15.31	1000	3	4040
	2	2517	6.61		3		3020	17.75	3	3020	17.75	4		4040	105.18
	3	2517	7.72	4	3535		27.62	4	3535	27.62	5	4545		125.24	
	4	2517	8.78	5	3535		29.68	5	3535	29.68	6	4545		139.59	
	5	3020	9.24	6	3535		31.74	6	3535	31.74	8	5050		170.14	
	6	3020	10.30	8	3535		35.86	8	3535	35.86	10	5050	192.10		
	8	3030	15.52	10	4040		42.61	10	4040	42.61	1250	3	4040	126.07	
	200	1	2012	4.17	355		2	3020	12.60	2		3020	12.60	4	4545
2		2517	7.59	3			3020	45.43	3	3020		45.43	5	4545	169.71
3		2517	6.92	4			3535	29.96	4	3535		29.96	6	5050	197.90
4		3020	9.03	5		3535	27.39	5	3535	27.39		8	5050	226.64	
5		3020	10.61	6		3535	34.35	6	3535	34.35					
6		3020	11.76	8		3535	38.74	8	3535	38.74					
8		3535	15.65												

**Taper Bored
Wedge Pulleys (Cast Iron)**



SPC - Section

This is NOT a comprehensive list.
Please enquire for other sizes.

Pitch Diameter	No. of Grooves	Bush Number	Pitch Diameter	No. of Grooves	Bush Number	Pitch Diameter	No. of Grooves	Bush Number		
200	3	2517	315	3	3535	475	3	3535		
	4	3020		4	3535		4	3535		
	5	3535		5	3535		5	4040		
	6	3535		6	3535		6	4545		
212	3	3020		8	4040	8	5050	500	3	3535
	4	3020		10	4545	3	3535		4	3535
	5	3535		335	3	3535	5		4040	5
6	3535	4			3535	6	4545	6	4545	
224	3	3020	5		3535	8	5050	8	5050	
	4	3535	6		3535	10	5050	530	3	3535
	5	3535	8	4040	3	3535	4		4040	
	6	3535	355	3	3535	5	4545		5	4545
8	3535	4		3535	6	5050	6		5050	
236	3	3020		5	3535	8	5050	8	5050	
	4	3535		6	3535	10	4545	560	3	3535
	5	3535	8	4040	3	3535	4		4040	
	6	3535	375	3	3535	5	4545		5	4545
8	3535	4		3535	6	5050	6		5050	
250	3	3020		5	3535	8	5050	8	5050	
	4	3535		6	4040	10	5050	630	3	4040
	5	3535	8	4545	3	3535	4		4545	
	6	3535	400	3	3535	5	5050		5	5050
8	3535	4		3535	6	5050	6		5050	
10	4040	5		3535	8	4545	8	5050		
265	3	3535		6	4040	10	5050	710	5	5050
	4	3535	425	3	3535	3	3535		6	5050
	5	3535		4	3535	8	5050		8	5050
	6	3535		5	3535	10	5050		800	3
8	3535	6		4040	3	3535	4	5050		
280	3	3535	8	4545	450	3	3535	5		5050
	4	3535	10	4040		4	3535	6		5050
	5	3535	400	3		3535	5	4040	8	5050
	6	3535		4		3535	6	4545	10	5050
8	3535	5		4040	8	5050	1000	5	5050	
10	4040	6		4545	10	5050		6	5050	
300	3	3535	8	5050	450	10		5050	8	5050
	4	3535	400	10		5050		1000	8	5050
	5	3535		10		5050	10		5050	
	6	3535		10		5050	10		5050	
8	4040									
10	4545									



J Section

8 Groove			12 Groove			16 Groove		
Type	Ref	Bush Size	Type	Ref	Bush Size	Type	Ref	Bush Size
63J8		1108	63J12		1108	-		-
71J8		1108	71J12		1108	71J16		1215
75J8		1108	75J12		1610	75J16		1610
80J8		1610	80J12		1610	80J16		1610
85J8		1610	85J12		1610	85J16		1610
90J8		1610	90J12		1610	90J16		1610
95J8		1610	95J12		1610	95J16		1610
100J8		1610	100J12		1610	100J16		1610
106J8		1610	106J12		1610	106J16		1610
112J8		1610	112J12		1610	112J16		1610
118J8		1610	118J12		2012	118J16		2012
125J8		1610	125J12		2012	125J16		2012
132J8		1610	132J12		2012	132J16		2012
140J8		1610	140J12		2517	140J16		2517
160J8		2012	160J12		2517	160J16		2517
180J8		2012	180J12		2517	180J16		2517
200J8		2012	200J12		2517	200J16		2517
224J8		2012	224J12		2517	224J16		2517
250J8		2012	250J12		2517	250J16		2517

L Section

8 Groove			12 Groove			16 Groove			20 Groove		
Type	Ref	Bush Size	Type	Ref	Bush Size	Type	Ref	Bush Size	Type	Ref	Bush Size
75L8		1210	75L12		1210	-		-	-		-
80L8		1210	80L12		1210	-		-	-		-
85L8		1210	85L12		1610	85L16		1610	-		-
90L8		1610	90L12		1610	90L16		1610	-		-
95L8		1610	95L12		1610	95L16		1610	-		-
100L8		1610	100L12		2012	100L16		2012	-		-
106L8		1610	106L12		2012	106L16		2012	-		-
112L8		1610	112L12		2012	112L16		2012	-		-
118L8		2012	118L12		2517	118L16		2517	118L20		2517
125L8		2012	125L12		2517	125L16		2517	125L20		2517
137L8		2012	137L12		2517	137L16		2517	137L20		2517
140L8		2517	140L12		2517	140L16		2517	140L20		3020
150L8		2517	150L12		2517	150L16		2517	150L20		3020
160L8		2517	160L12		2517	160L16		2517	160L20		3020
170L8		2517	170L12		2517	170L16		3020	170L20		3020
180L8		2517	180L12		2517	180L16		3020	180L20		3020
190L8		2517	190L12		2517	190L16		3020	190L20		3020
200L8		2517	200L12		3020	200L16		3020	200L20		3525
212L8		2517	212L12		3020	212L16		3020	212L20		3525
224L8		2517	224L12		3020	224L16		3020	224L20		3525
235L8		2517	235L12		3020	235L16		3020	235L20		3525
250L8		2517	250L12		3020	250L16		3020	250L20		3525
280L8		3020	280L12		3020	280L16		3525	280L20		3525
315L8		3020	315L12		3525	315L16		3525	315L20		4040
356L8		3020	356L12		3525	356L16		3525	356L20		4040
400L8		3020	400L12		3525	400L16		3525	400L20		4040
450L8		3020	450L12		3525	450L16		3525	450L20		4040
500L8		3020	500L12		3525	500L16		3525	500L20		5050
560L8		3020	560L12		3525	560L16		3525	560L20		5050
630L8		3020	630L12		3525	630L16		4040	630L20		5050