


Single Row Cylindrical Roller Bearings Metric

Primary Dimensions				Bearing Code
d	D	B	F	
mm				
10	30	9	14,4	NU 200
	30	9	14,4	NJ 200
	30	9	14,4	NUP 200
	30	9		N 200
	30	9		NF 200
	35	11	16,9	NU 300
	35	11	16,9	NJ 300
	35	11	16,9	NUP 300
	35	11		N 300
	35	11		NF 300
12	32	10	17,2	NU 201
	32	10	17,2	NJ 201
	32	10	17,2	NUP 201
	32	10		N 201
	32	10		NF 201
	37	12	18,9	NU 301
	37	12	18,9	NJ 301
	37	12	18,9	NUP 301
	37	12		N 301
	37	12		NF 301
15	35	11	20,2	NU 202
	35	11	20,2	NJ 202
	35	11	20,2	NUP 202
	35	11		N 202
	35	11		NF 202
	42	13	22,1	NU 302
	42	13	22,1	NJ 302
	42	13	22,1	NUP 302
	42	13		N 302
	42	13		NF 302
17	40	12	22,9	NU 203
	40	12	22,9	NJ 203
	40	12	22,9	NUP 203
	40	12		N 203
	40	12		NF 203

Primary Dimensions				Bearing Code
d	D	B	F	
mm				
17	47	14	24,9	NU 303
	47	14	24,9	NJ 303
	47	14	24,9	NUP 303
	47	14		N 303
	47	14		NF 303
20	42	12		N 1004
	47	14	27,0	NU204
	47	14	27,0	NJ 204
	47	14	27,0	NUP 204
	47	14		N 204
	47	14		NF 204
	52	15	28,5	NU 304
	52	15	28,5	NJ 304
	52	15	28,5	NUP 304
	52	15		N 304
	52	15		NF 304
25	47	12		N 1005
	52	15		N 205
	52	15	32,0	NU 205
	52	15	32,0	NJ 205
	52	15	32,0	NUP 205
	52	15		NF 205
	62	17	35,0	NU 305
	62	24	35,0	NU 2305
	62	17	35,0	NJ 305
	62	17	35,0	NUP 305
	62	17		N 305
	62	17		NF 305
	80	21		N 405
	80	21	38,8	NU 405
	80	21	38,8	NJ 405
30	55	13		N 1006
	62	16	38,5	NU 206
	62	16	38,5	NJ 206
	62	16	38,5	NUP 206

Primary Dimensions				Bearing Code
d	D	B	F	
mm				
30	62	16		N 206
	62	16		NF 206
	62	20	38,5	NU 2206
	72	19	42,0	NU 36
	72	19	42,0	NJ 306
	72	19	42,0	NUP 306
	72	19		N 306
	72	19		NF 306
	72	27	42,0	NU 2306
	90	23		N 406
	90	23	45,0	NJ 406
35	62	14		N 1007
	72	17	43,8	NU 207
	72	17	43,8	NJ 207
	72	17	43,8	NUP 207
	72	17		N 207
	72	17		NF 207
	72	23	43,8	NU 2207
	80	21	46,2	NU 307
	80	21	46,2	NJ 307
	80	21	46,2	NUP 307
	80	21		N 307
	80	21		NF 307
	80	31	46,2	NU 2307
	100	25		N 407
40	68	15		N 1008
	80	18	50,0	NU 208
	80	18	50,0	NJ 208
	80	18	50,0	NUP 208
	80	18		N 208
	80	18		NF 208
	80	23	50,0	NU 2208
	90	23	53,5	NU 308
	90	23	53,5	NJ 308
	90	23	53,5	NUP 308

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.




Single Row Cylindrical Roller Bearings Metric

Primary Dimensions				Bearing Code
d	D	B	F	
mm				
40	90	23		N 308
	90	23		NF 308
	90	33	53,5	NU 2308
	110	27		N 408
	110	27	58,0	NU 408
	110	27	58,0	NJ 408
45	75	16		N 1009
	85	19	55,0	NU 209
	85	19	55,0	NJ 209
	85	19	55,0	NUP 209
	85	19		N 209
	85	19		NF 209
	85	23	55,0	NU 2209
	100	25	58,5	NU 309
	100	25	58,5	NJ 309
	100	25	58,5	NUP 309
	100	25		N 309
	100	25		NF 309
	100	36	58,5	NU 2309
	120	29		N 409
	120	29	64,4	NU 409
	120	29	64,4	NJ 409
50	80	16		N 1010
	90	20	60,4	NU 210
	90	20	60,4	NJ 210
	90	20	60,4	NUP 210
	90	20		N 210
	90	20		NF 210
	90	23	60,4	NU 2210
	110	27	65,0	NU 310
	110	27	65,0	NJ 310
	110	27	65,0	NUP 310
	110	27		N 310
	110	27		NF 310
	110	40	65,0	NU 2310

Primary Dimensions				Bearing Code
d	D	B	F	
mm				
50	130	31		N 410
	130	31	70,8	NU 410
	130	31	70,8	NJ 410
55	90	18		N 1011
	100	21	66,5	NU 211
	100	21	66,5	NJ 211
	100	21	66,5	NUP 211
	100	21		N 211
	100	21		NF 211
	100	25	66,5	NU 2211
	120	29	70,5	NU 311
	120	29	70,5	NJ 311
	120	29	70,5	NUP 311
	120	29		N 311
	120	29		NF 311
	140	33	77,2	NU 411
60	95	18		N 1012
	110	22	73,5	NU 212
	110	22	73,5	NJ 212
	110	22	73,5	NUP 212
	110	22		N 212
	110	22		NF 212
	110	28	73,5	NU 2212
	130	31	77,0	NU 312
	130	31	77,0	NJ 312
	130	31	77,0	NUP 312
	130	31		N 312
	130	31		NF 312
	130	46	77,0	NU 2312
	150	35		N 412
65	100	18		N 1013
	120	23	79,6	NU 213
	120	23	79,6	NUP 213
	120	23	79,6	NJ 213
	120	23	79,6	N 213

Primary Dimensions				Bearing Code
d	D	B	F	
mm				
65	120	23		NF 213
	140	33	83,5	NU 313
	140	33	83,5	NJ 313
	140	33	83,5	NUP 313
	140	33		N 313
	140	33		NF 313
	160	37	89,3	NU 413
70	110	20		N 1014
	125	24	84,5	NU 214
	125	24	84,5	NJ 214
	125	24	84,5	NUP 214
	125	24		N 214
	125	24		NF 214
	150	35	90,0	NU 314
	150	35	90,0	NJ 314
	150	35	90,0	NUP 314
	150	35		N 314
	150	35		NF 314
	150	51	90,0	NU 2314
	180	42		N 414
	180	42	100,0	NU 414
	180	42	100,0	NJ 414
75	115	20		N 1015
	130	25	88,5	NU 215
	130	25	88,5	NJ 215
	130	25	88,5	NUP 215
	130	25		N 215
	130	25		NF 215
	130	31	88,5	NU 2215
	160	37	95,5	NU 315
	160	37	95,5	NJ 315
	160	37	95,5	NUP 315
	160	37		N 315
	160	37		NF 315
80	125	22		N 1016

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.




Single Row Cylindrical Roller Bearings Metric

Primary Dimensions				Bearing Code	
d	D	B	F		
mm					
80	140	26	95,3	NU 216	
	140	26	95,3	NJ 216	
	140	26	95,3	NUP 216	
	140	26		N 216	
	140	26		NF 216	
	140	33	95,3	NU 2216	
	170	39	103,0	NU 316	
	170	39	103,0	NJ 316	
	170	39	103,0	NUP 316	
	170	39		N 316	
	170	39		NF 316	
	170	58	103,0	NU 2316	
	85	130	22		N 1017
		150	28	101,8	NU 217
		150	28	101,8	NJ 217
		150	28	101,8	NUP 217
		150	28		N 217
150		28		NF 217	
180		41	108,0	NU 317	
180		41	108,0	NJ 317	
180		41	108,0	NUP 317	
180		41		N 317	
180	41		NF 317		
180	60	108,0	NU 2317		
90	140	24		N 1018	
	160	30	107,0	NU 218	
	160	30	107,0	NJ 218	
	160	30	107,0	NUP 218	
	160	30		N 218	
	160	30		NF 218	
	190	43	115,0	NU 318	
	190	43	115,0	NJ 318	
	190	43	115,0	NUP 318	
	190	43		N 318	
	190	43		NF 418	

Primary Dimensions				Bearing Code
d	D	B	F	
mm				
90	225	54	123,5	NU 418
	225	54	123,5	NJ 418
95	145	24		N 1019
	170	32	113,5	NU 219
	170	32	113,5	NJ 219
	170	32		N 219
	170	32		NF 219
	200	45	120,8	NU 319
	200	45	120,8	NJ 319
	200	45	120,8	NUP 319
	200	45		N 319
	200	45		NF 319
100	150	24		N 1020
	180	34	120,0	NU 220
	180	34	120,0	NJ 220
	180	34	120,0	NUP 220
	180	34		N 220
	180	34		NF 220
	215	47	129,5	NU 320
	215	47	129,5	NJ 320
	215	47	129,5	NUP 320
	215	47		N 320
	215	47		NF 320
	215	73	129,5	NU 2320
105	250	58	138,9	NU 420
	190	36		N 221
	190	36		NF 221
	225	49	135,0	NU 321
	225	49	135,0	NJ 321
	225	49	135,0	NUP 321
	225	49		N 321
	225	49		NF 321
110	260	60	144,5	NU 421
	200	38	132,5	NU 222

Primary Dimensions				Bearing Code
d	D	B	F	
mm				
110	200	38	132,5	NJ 222
	200	38	132,5	NUP 222
	200	38		N 222
	200	38		NF 222
	240	50	143,0	NU 322
	240	50	143,0	NJ 322 E
	240	50	143,0	NUP 322
	240	50		N 322
	240	50		NF 322

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.




**Single Row Cylindrical
Roller Bearings Imperial**

Primary Dimensions				Bearing Code
d	D	B	F	
Inch				
1/2	1 5/16	3/8	18.41	LLRJ1/2
	1 5/16	3/8		LRJ1/2
	1 5/8	5/8	20.85	MMRJ1/2
	1 5/8	5/8		MRJ1/2
5/8	1 9/16	7/16	22.9	LLRJ5/8
	1 9/16	7/16		LRJ5/8
	1 13/16	5/8	24.92	MMRJ5/8
	1 13/16	5/8		MRJ5/8
3/4	1 7/8	9/16	27	LLRJ3/4
	1 7/8	9/16		LRJ3/4
	2	11/16	27	MMRJ3/4
	2	11/16		MRJ3/4
7/8	2	9/16	29	LLRJ7/8
	2	9/16		LRJ7/8
	2 1/4	11/16	31.75	MMRJ7/8
	2 1/4	11/16		MRJ7/8
1	2 1/4	5/8	33.5	LLRJ1
	2 1/4	5/8		LRJ1
	2 1/2	3/4	35	MMRJ1
	2 1/2	3/4		MRJ1
1 1/8	2 1/2	5/8	38.5	LLRJ11/8
	2 1/2	5/8		LRJ11/8
	2 13/16	13/16	42	MMRJ11/8
	2 13/16	13/16		MRJ11/8
1 1/4	2 3/4	11/16	41.25	LLRJ11/4
	2 3/4	11/16		LRJ11/4
	3 1/8	7/8	46.2	MMRJ11/4
	3 1/8	7/8		MRJ11/4
1 3/8	3	11/16	43.8	LLRJ13/8
	3	11/16		LRJ13/8
	3 1/2	7/8	48	MMRJ13/8
	3 1/2	7/8		MRJ13/8
1 1/2	2 11/16	9/16		XLRJ11/2
	3 1/4	3/4	49.2	LLRJ11/2

Primary Dimensions				Bearing Code
d	D	B	F	
Inch				
1 1/2	3 1/4	3/4		LRJ11/2
	3 1/4	15/16	53.5	MMRJ11/2
	3 3/4	15/16		MRJ11/2
	1 5/8	2 7/8	9/16	XLRJ15/8
	3 1/2	3/4	53.7	LLRJ15/8
	3 1/2	3/4		LRJ15/8
	4	15/16	61.29	MMRJ15/8
	4	15/16		MRJ15/8
1 3/4	3	9/16		XLRJ13/4
	3 3/4	13/16	57.15	LLRJ13/4
	3 3/4	13/16		LRJ13/4
	4 1/4	11/16	64.29	MMRJ13/4
	4 1/4	11/16		MRJ13/4
	1 7/8	3 3/16	5/8	XLRJ17/8
	4	13/16	66.5	LLRJ17/8
	4	13/16		LRJ17/8
	4 1/2	11/16	65	MMRJ17/8
	4 1/2	11/16		MRJ17/8
2	3 5/16	5/8		XLRJ2
	4	13/16	66.5	LLRJ2
	4	13/16		LRJ2
	4 1/2	11/16	65	MMRJ2
	4 1/2	11/16		MRJ2
	2 1/4	3 9/16	5/8	XLRJ21/4
	4 1/2	7/8	72.9	LLRJ21/4
	4 1/2	7/8		LRJ21/4
	5	1 1/4	77	MMRJ21/4
	5	1 1/4		MRJ21/4
2 1/2	3 7/8	11/16		XLRJ21/2
	5	15/16	82.04	LLRJ21/2
	5	15/16		LRJ21/2
	5 1/2	1 1/4	83.5	MMRH21/2
2 3/4	5 1/2	1 1/4		MRJ21/2
	4 1/8	11/16		XLRJ23/4

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.



Single Row Cylindrical Roller Bearings Imperial


Primary Dimensions				Bearing Code
d	D	B	F	
Inch				
2 3/4	5 1/4	15/16	89.76	LLRJ23/4
	5 1/4	15/16		LRJ23/4
	6 1/4	1 3/8	97.59	MMRJ23/4
	6 1/4	1 3/8		MRJ23/4
3	4 1/2	3/4		XLRJ3
	5 3/4	1 1/16	96.84	LLRJ3
	5 3/4	1 1/16		LRJ3
	7	1 9/16	106.63	MMRJ3
	7	1 9/16		MRJ3
	3 1/4	4 3/4	3/4	
6		1 1/16	105.56	LLRJ31/4
	6	1 1/16		LRJ31/4
	7 1/2	1 9/16	114.3	MMRJ31/4
	7 1/2	1 9/16		MRJ31/4
	3 3/8	7 1/2	1 9/16	114.3
7 1/2		1 9/16		MRJ33/8
3 1/2	5	3/4		XLRJ31/2
	6 1/2	1 1/8	107	LLRJ31/2
	6 1/2	1 1/8		LRJ31/2
	8 1/8	1 3/4	123.82	MMRJ31/2
	8 1/8	1 3/4		MRJ31/2
	3 3/4	5 1/4	3/4	
6 3/4		1 1/8	117.48	LLRJ33/4
	6 3/4	1 1/8		LRJ33/4
	8 1/4	1 3/4	123.82	MMRJ33/4
	8 1/4	1 3/4		MRJ33/4
	4	5 5/8	7/8	
7 1/4		1 1/4	28.58	LLRJ4
	7 1/4	1 1/4		LRJ4
	8 1/2	1 3/4	137.9	MMRJ4
	8 1/2	1 3/4		MRJ4
	4 1/4	6	7/8	
7 1/2		1 1/4	127.2	LLRJ41/4
	7 1/2	1 1/4		LRJ41/4

Primary Dimensions				Bearing Code
d	D	B	F	
Inch				
4 1/4	8 3/4	1 3/4	139.7	MMRJ41/4
	8 3/4	1 3/4		MRJ41/4
4 1/2	6 1/4	7/8		XLRJ41/2
	8	1 5/16	140.49	LLRJ41/2
	8	1 5/16		LRJ41/2
	9 3/8	2	147.62	MMRJ41/2
	9 3/8	2		MRJ41/2
	4 3/4	6 1/2	7/8	
8 1/4		1 5/16	146.25	LLRJ43/4
	8 1/4	1 5/16		LRJ43/4
	10	2	164.14	MMRJ43/4
	10	2		MRJ43/4
	5	7	1	
9		1 3/8	158.34	LLRJ5
	9	1 3/8		LRJ5
	10	2	164.14	MMRJ5
	10	2		MRJ5
	5 1/4	7 1/4	1	
7 1/2		1		XLRJ51/2
	9 1/2	1 3/8	171.86	LLRJ51/2
	9 1/2	1 3/8		LRJ51/2
	11	2	182.35	MMRJ51/2
	11	2		MRJ51/2
5 3/4	7 3/4	1		XLRJ53/4
	6	8	1	XLRJ6
	10 1/2	1 9/16	192.08	LLRJ6
	10 1/2	1 9/16		LRJ6
	12	2 1/4	202.49	MMRJ6
	12	2 1/4		MRJ6
6 1/2	8 3/4	1 1/8		XLRJ61/2
	11	1 9/16	198.42	LLRJ61/2
	11	1 9/16		LRJ61/2
	13	2 1/2	209.55	MMRJ61/2
	13	2 1/2		MRJ61/2

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.



Single Row Cylindrical Roller Bearings Imperial



Primary Dimensions				Bearing Code
d	D	B	F	
Inch				
7	9 1/2	1 1/4		XLRJ7
	12	1 3/4	211.12	LLRJ7
	12	1 3/4		LRJ7
	13 1/2	2 1/2		MRJ7
7 1/2	10	1 1/4		XLRJ71/2
	12 1/2	1 3/4	238	LLRJ71/2
	12 1/2	1 3/4		LRJ71/2
	14 1/2	2 3/4		MRJ71/2
8	10 3/4	13/8		XLRJ8
	13	13/4	240.18	LLRJ8
	13	13/4		LRJ8
	15	23/4		MRJ8
8 1/2	11 1/2	11/2		XLRJ81/2
	14	2	258.78	LLRJ81/2
	14	2		LRJ81/2
	16	3		MRJ81/2
9	12	11/2		XLRJ9
	14 1/2	2	283.34	LLRJ9
	14 1/2	2		LRJ9
	17	3		MRJ9
9 1/2	12 3/4	1 5/8		XLRJ91/2
	15 1/8	2	295.76	LLRJ91/2
	15 1/8	2		LRJ91/2
	18	3 1/4		MRJ91/2
10	13 1/4	1 5/8		XLRJ10
	15 3/4	2	299.54	LLRJ10
	15 3/4	2		LRJ10
	18 1/2	3 1/4		MRJ10
10 1/2	14	1 3/4		XLRJ101/2
	16 5/8	2 1/4	311.94	LLRJ101/2
	16 5/8	2 1/4		LRJ101/2
	19 1/2	3 1/2		MRJ101/2

If a dimension is critical to your application please contact our sales department for confirmation.
Please note : errors and omissions excepted.