




**Sprockets**  
**British Standard**  
**3/8" x 7/32" (06B)**  
**Steel Taper Lock**



SIMPLEX				
No. Teeth	Bush Size	Type	Hub Dia	Overall Width
17	1008	1	44.5	22
18	1008	1	43	22
19	1008	1	46	22
20	1008	1	46	22
21	1008	1	46	22
22	1108	1	50	22
23	1210	1	62	25
24	1210	1	62	25
25	1210	1	63	25
26	1210	1	60	25
27	1210	1	60	25
28	1210	1	60	25
30	1210	1	63	25
38	1210	1	73	25
45	1210	1	73	25
57	1210	1	83	25
57*	1210	6	83	25
76*	1210	6	83	25
95*	1210	6	83	25
114*	1215	6	83	38

DUPLEX				
No. Teeth	Bush Size	Type	Hub Dia	Overall Width
17	1008	2	42.5	22
18	1008	2	43	22
19	1008	2	46	22
20	1008	2	48	22
21	1008	2	49	22
22	1108	2	52	22
23	1210	2	58	25
24	1210	2	61	25
25	1210	2	64	25
26	1210	2	65	25
27	1210	2	65	25
28	1210	2	65	25
30	1210	2	65	25
38	1610	2	76	25
45	1610	2	89	25
57	1610	7	89	25
76	1610	2	89	25
76*	1610	7	89	25
95*	1610	7	89	25
114*	1615	7	89	38

\* Cast Iron

All dimensions in mm

Intermediate sizes & special sprockets to drawing up to 1000mm diameter

Standard : to DIN 8187 ISO/R 606

Please note : All dimensions including bore sizes subject to change.

If a dimension is critical to your application please contact our sales department for confirmation.

For special sprockets or reworked sprockets please contact our sales department.

Please note : errors and omissions excepted.




## Sprockets

### British Standard

### 1/2" x 5/16" (08B)

### Steel Taper Lock



SIMPLEX				
No. Teeth	Bush Size	Type	Hub Dia	Overall Width
15	1008	1	46	22
16	1108	1	50	22
17	1210	1	59.5	25
18	1210	1	60	25
19	1210	1	63	25
20	1610	1	71	25
21	1610	1	71	25
22	1610	1	70	25
23	1610	1	76	25
24	1610	1	70	25
25	1610	1	76	25
26	1610	1	70	25
27	1610	1	76	25
28	2012	1	90	32
30	2012	1	90	32
38	2012	1	102	32
45	2012	1	102	32
57	2012	1	111	32
57*	2012	6	111	32
76	2012	1	111	32
76*	2012	6	111	32
95*	2012	6	111	32
114*	2517	6	124	45

DUPLEX				
No. Teeth	Bush Size	Type	Hub Dia	Overall Width
15	1008	2	46	22
16	1108	2	50	22
17	1210	2	56	25
18	1210	2	58	25
19	1210	2	64	25
20	1610	2	66	25
21	1610	2	71	25
22	1610	2	76	25
23	1610	2	79	25
24	2012	2	84	32
25	2012	2	87	32
26	2012	2	85	32
27	2012	2	87	32
28	2012	2	87	32
30	2012	2	87	32
38	2012	2	102	32
45	2012	2	111	32
57	2012	2	111	32
57*	2012	7	111	32
76*	2012	7	111	32
95*	2012	7	111	32
114*	2517	7	124	45

\* Cast Iron

All dimensions in mm

Intermediate sizes & special sprockets to drawing up to 1000mm diameter

Standard : to DIN 8187 ISO/R 606

Please note : All dimensions including bore sizes subject to change.

If a dimension is critical to your application please contact our sales department for confirmation.

For special sprockets or reworked sprockets please contact our sales department.

Please note : errors and omissions excepted.




## Sprockets

### British Standard

### 5/8" x 3/8" (10B)

### Steel Taper Lock



SIMPLEX				
No. Teeth	Bush Size	Type	Hub Dia	Overall Width
13	1008	1	46	22
14	1108	1	52	22
15	1210	1	63	25
16	1610	1	70	25
17	1610	1	71	25
18	1610	1	75	25
19	1610	1	76	25
20	1610	1	75	25
21	1610	1	76	25
22	1610	1	76	25
23	1610	1	76	25
24	2012	1	90	32
25	2012	1	90	32
26	2012	1	85	32
27	2012	1	90	32
28	2012	1	90	32
30	2012	1	90	32
38	2012	1	102	32
45	2012	6	111	32
57	2012	1	111	32
57*	2012	6	111	32
76	2012	1	111	32
76*	2012	6	111	32
95*	2517	6	124	45
114*	2517	6	124	45

DUPLEX				
No. Teeth	Bush Size	Type	Hub Dia	Overall Width
15	1210	3	-	25.5
16	1610	3	-	25.5
17	1610	3	-	25.5
18	1610	3	-	25.5
19	1610	3	-	25.5
20	1610	3	-	25.5
21	1610	3	-	25.5
22	1610	3	-	25.5
23	1610	3	-	25.5
24	2012	2	90	32
25	2012	2	90	32
26	2012	2	90	32
27	2012	2	90	32
28	2012	2	90	32
30	2012	2	90	32
38	2517	2	108	45

\*Cast Iron

All dimensions in mm

Intermediate sizes & special sprockets to drawing up to 1000mm diameter

Standard : to DIN 8187 ISO/R 606

Please note : All dimensions including bore sizes subject to change.


If a dimension is critical to your application please contact our sales department for confirmation.

For special sprockets or reworked sprockets please contact our sales department

Please note : errors and omissions excepted.



**Sprockets**  
**British Standard**  
**3/4" x 7/16" (12B)**  
**Steel Taper Lock**



SIMPLEX				
No. Teeth	Bush Size	Type	Hub Dia	Overall Width
13	1210	1	63	25
14	1610	1	71	25
15	1610	1	71	25
16	1610	1	75	25
17	1610	1	76	25
18	2012	1	90	32
19	2012	1	90	32
20	2012	1	90	32
21	2517	1	102	45
22	2517	1	102	45
23	2517	1	108	45
24	2517	1	108	45
25	2517	1	108	45
26	2517	1	108	45
27	2517	1	108	45
28	2517	1	108	45
30	2517	1	108	45
38	2517	1	124	45
45	2517	6	124	45
57*	2517	1	124	45
76*	2517	6	124	45
95*	2517	6	124	45
114*	2525	6	124	63

DUPLEX				
No. Teeth	Bush Size	Type	Hub Dia	Overall Width
15	1610	3	-	30.3
16	1610	3	-	30.3
17	1610	3	-	30.3
18	2012	2	89	32
19	2012	2	95	32
20	2517	2	108	45
21	2517	2	108	45
22	2517	2	108	45
23	2517	2	108	45
24	2517	2	108	45
25	2517	2	108	45
26	2517	2	108	45
27	2517	2	108	45
28	2517	2	108	45
30	2517	2	108	45
38	3020	7	152	51
45	3020	2	154	51
45*	3020	7	154	51
57*	3020	7	159	51
76*	3020	7	159	51
95*	3020	7	159	51
114*	3030	7	159	76

TRIPLEX				
No. Teeth	Bush Size	Type	Hub Dia	Overall Width
15	1615	5	-	49.8
17	2012	5	-	49.8
19	2012	5	-	49.8
21	2517	5	-	49.8
23	2517	5	-	49.8
25	2517	5	-	49.8
27	3020	5	-	51
30	3020	5	-	51
38	3020	5	-	51
45	3020	5	-	51
57*	3020	8	159	51
76*	3020	8	159	51
95*	3030	8	165	76
114*	3030	8	165	76

\* Cast Iron

All dimensions in mm  
 Intermediate sizes & special sprockets to drawing  
 up to 1000mm diameter

Standard : to DIN 8187 ISO/R 606

Please note : All dimensions including bore sizes  
 subject to change.


If a dimension is critical to your application please  
 contact our sales department for confirmation.

For special sprockets or reworked sprockets please  
 contact our sales department.

Please note : errors and omissions excepted.



**Sprockets**  
**British Standard**  
**1" x 17.02mm (16B)**  
**Steel Taper Lock**



SIMPLEX				
No. Teeth	Bush Size	Type	Hub Dia	Overall Width
13	1610	1	78	25
14	1610	1	78	25
15	1610	1	78	25
16	2012	1	90	32
17	2012	1	90	32
18	2517	1	108	45
19	2517	1	108	45
20	2517	1	108	45
21	2517	1	108	45
22	2517	1	108	45
23	2517	1	108	45
24	2517	1	108	45
25	2517	1	108	45
26	2517	1	108	45
27	2517	1	108	45
28	3020	1	108	45
30	3020	1	159	51
38	3020	6	159	51
45	3020	6	159	51
45*	3020	6	159	51
57	3020	6	159	51
57*	3020	6	159	51
76*	3020	6	159	51

DUPLEX				
No. Teeth	Bush Size	Type	Hub Dia	Overall Width
15	2012	3	-	47.7
16	2517	3	-	47.7
17	2517	3	-	47.7
18	2517	3	-	47.7
19	2517	3	-	47.7
20	2517	3	-	47.7
21	3020	2	143	51
22	3020	2	150	51
23	3020	2	159	51
24	3020	2	166	51
25	3020	2	175	51
26	3020	2	175	51
27	3020	2	175	51
28	3020	2	175	51
30	3020	2	175	51
38	3020	7	146	51
38*	3020	7	146	51
45*	3020	7	198	51

TRIPLEX				
No. Teeth	Bush Size	Type	Hub Dia	Overall Width
17	2517	5	-	79.6
19	3020	5	-	79.6
21	3020	5	-	79.6
23	3525	5	-	79.6
25	3525	5	-	79.6
27	3525	5	-	79.6
30	3525	5	-	79.6
38	3525	5	-	79.6
38*	3525	5	-	79.6

\*Cast Iron

All dimensions in mm

Intermediate sizes & special sprockets to drawing up to 1000mm diameter

Standard : to DIN 8187 ISO/R 606

Please note : All dimensions including bore sizes subject to change.

If a dimension is critical to your application please contact our sales department for confirmation.

For special sprockets or reworked sprockets please contact our sales department.

Please note : errors and omissions excepted.