



### SPZ - Section

This is NOT a comprehensive list.  
Please enquire for other sizes.

Pitch Diameter	No. of Grooves	Bush Number	Approx Weight (Kg)	Pitch Diameter	No. of Grooves	Bush Number	Approx Weight	Pitch Diameter	No. of Grooves	Bush Number	Approx Weight		
50	1	1008	0.35	125	1	1610	1.36	224	1	2012	4.64		
	2	1008	0.42		2	1610	1.71		2	2012	5.26		
56	1	1008	0.44		3	2012	2.03		3	2012	6.60		
	2	1108	0.49		4	2012	2.35		4	2012	7.71		
60	1	1008	0.29		5	2012	2.67		5	2517	8.33		
	2	1108	0.61		6	2517	2.82		6	2517	8.94		
63	1	1108	0.27	132	1	1610	1.52	250	8	2517	13.38		
	2	1108	0.31		2	1610	1.97		1	3020	3.90		
	3	1108	0.32		3	2012	2.36		2	2012	4.87		
67	1	1108	0.33		4	2012	2.70		3	2012	5.85		
	2	1108	0.38		5	2517	2.98		4	2012	7.69		
	3	1108	0.50		6	2517	3.32		5	2517	8.69		
71	1	1108	0.37	140	1	1610	1.71	280	6	2517	9.69		
	2	1108	0.46		2	1610	2.27		8	2517	8.52		
	3	1108	0.62		3	2012	2.76		1	3020	4.32		
75	1	1108	0.42		4	2012	3.12		2	2012	5.45		
	2	1210	0.44		5	2517	3.55		3	2012	7.45		
	3	1210	0.57		6	2517	3.92		4	2517	8.60		
80	1	1210	0.53	150	8	2517	4.64	315	5	2517	9.77		
	2	1210	0.56		1	1610	1.97		6	2517	10.95		
	3	1210	0.74		2	2012	2.85		8	2517	13.70		
	4	1210	0.92		3	2012	3.29		1	3020	4.88		
85	1	1210	0.65		4	2517	3.92		2	2012	6.20		
	2	1610	0.53		5	2517	4.32		3	2012	8.39		
	3	1610	0.70		6	2517	4.71		4	2517	9.75		
	4	1610	0.87		8	2517	5.50		5	2517	11.13		
	5	1610	1.03	1	1610	2.24	6	2517	12.52				
90	1	1210	0.72	160	2	2012	2.33	355	1	2517	5.46		
	2	1610	0.66		3	2012	3.86		2	2012	6.99		
	3	1610	0.88		4	2517	4.71		3	2012	9.41		
	4	1610	1.09		5	2517	5.13		4	2517	10.99		
	5	1610	1.30		6	2517	5.56		5	2517	12.60		
95	1	1210	0.85		170	8	2517		6.40	400	6	2517	14.24
	2	1610	0.79			1	1610		2.54		8	3030	19.61
	3	1610	1.02			2	2012		3.84		450	1	2012
	4	1610	1.25	3		2012	4.46	2	2012			9.07	
	5	1610	1.48	4		2517	5.55	3	2517			10.92	
100	1	1210	0.93	5		2517	6.00	4	2517			12.81	
	2	1610	0.93	6		2517	6.45	5	2517			15.48	
	3	1610	1.17	180		1	1310	2.85	6			3030	19.26
	4	1610	1.41		2	2012	4.38	8	3030	22.53			
	5	2012	1.29		3	2012	5.10	500	2	2517		10.13	
	6	2012	1.73		4	2517	6.43		3	2517	12.26		
106	1	1610	0.97		5	2517	6.92		4	3020	15.24		
	2	1610	1.10		6	2517	7.40		5	3020	17.42		
	3	1610	1.37		8	2517	8.37		6	3030	21.52		
	4	1610	1.65		190	1	1610		3.18	8	3535	29.49	
	5	2012	1.55	2		2012	4.96		630	2	2517	11.97	
	6	2012	2.05	3		2012	4.86			3	2517	14.98	
112	1	1610	1.08	4		2517	5.86	4		3020	20.19		
	2	1610	1.28	5		2517	6.38	5		3030	22.14		
	3	2012	1.47	6		2517	6.89	6		3030	27.15		
	4	2012	1.75	200	1	2012	3.78	800		3	2517	21.46	
	5	2012	2.03		2	2012	4.32		4	3030	28.37		
	6	2012	2.30		3	2012	5.34		5	3030	32.82		
118	1	1610	1.21		4	2517	6.38		6	3535	41.48		
	2	1610	1.47		5	2517	6.92		800	3	3020	31.68	
	3	2012	1.71		6	2517	7.47			4	3030	35.49	
	4	2012	2.00	8	3020	10.20	5	3535		49.70			
	5	2012	2.28				6	3535		55.97			
	6	2517	1.72										

# Taper Bored Wedge Pulleys (Cast Iron)



## SPA - Section

This is NOT a comprehensive list.  
Please enquire for other sizes.

Pitch Diameter	No. of Grooves	Bush Number	Approx Weight (Kg)	Pitch Diameter	No. of Grooves	Bush Number	Approx Weight	Pitch Diameter	No. of Grooves	Bush Number	Approx Weight	
63	1	1108	0.61	132	1	1610	1.66	280	1	2012	7.34	
	2	1108	0.72		2	2012	2.15		2	2517	10.32	
67	1	1108	0.31		3	2012	2.52		3	2517	11.45	
	2	1108	0.44		4	2517	2.84		4	3020	14.52	
71	1	1108	0.37		5	2517	3.21		5	3535	19.72	
	2	1108	0.52		6	2517	3.59		6	3535	20.85	
	3	1108	0.68	140	1	1610	1.90	315	1	2012	5.61	
75	1	1108	0.43		2	2012	2.53		2	2517	8.19	
	2	1108	0.50		3	2517	3.00		3	3020	16.56	
	3	1108	0.68		4	2517	3.40		4	3020	17.85	
80	1	1210	0.51		5	2517	3.80		5	3535	23.20	
	2	1210	0.64		6	2517	4.21		6	3535	24.48	
	3	1210	0.88	150	1	1610	2.22	355	1	2012	6.40	
85	1	1210	0.62		2	2012	3.04		2	2517	9.26	
	2	1210	0.79		3	2517	3.72		3	3020	13.32	
	3	1210	1.09		4	2517	4.16		4	3020	15.34	
90	1	1210	0.71		5	2517	4.59		5	3535	22.32	
	2	1610	0.73		6	2517	5.03		6	3535	24.34	
	3	1610	0.96	160	1	1610	2.56	400	1	2012	7.33	
	4	1615	1.28		2	2012	3.23		2	2517	10.50	
95	1	1210	0.81		3	2517	4.51		3	3020	14.87	
	2	1610	0.86		4	2517	5.05		4	3020	17.24	
	3	1610	1.11		5	2517	5.58		5	3535	24.55	
	4	1615	1.83		6	2517	6.12		6	3535	26.93	
100	1	1610	0.81	170	1	1610	2.92	450	1	2012	8.26	
	2	1610	1.00		2	2012	3.57		2	2517	11.79	
	3	1610	1.26		3	2517	5.34		3	3020	16.53	
	4	1615	1.72		4	2517	5.91		4	3020	20.82	
	106	5	1615	1.98	180	1	1610		3.31	5	3535	25.47
		6	1615	2.24		2	2012		3.82	6	3535	29.73
1		1610	0.97	3		2517	6.21	500	1	2517	10.70	
2		1610	1.19	4		2517	6.83		2	2517	14.31	
3		1610	1.48	5		3020	6.85		3	3020	19.95	
4		2012	1.63	6		3020	7.46		4	3020	26.24	
5	2012	1.93	190	1	1610	3.72	5		3535	29.94		
6	2012	2.22		2	2012	4.18	6		3535	36.25		
112	1	1610		1.12	3	2517	7.14	560	2	3020	18.07	
	2	1610		1.37	4	2517	7.79		3	3020	22.26	
	3	2012	1.57	200	1	2012	3.93		4	3535	31.46	
	4	2012	1.87		2	2517	5.40		5	3535	35.84	
	5	2012	2.17		3	2517	6.58		6	3535	40.33	
	6	2012	2.47		4	3020	8.43		630	1	2517	15.11
118	1	1610	1.27		5	3020	9.12	2		3020	21.94	
	2	1610	1.56		6	3020	9.81	3		3020	26.90	
	3	2012	1.81	224	1	2012	4.88	4		3535	26.89	
	4	2012	2.12		2	2517	4.33	5		3535	42.07	
	5	2012	2.42		3	2517	7.80	6		4040	54.43	
	6	2012	2.72		4	3020	11.48	800	3	3535	44.07	
125	1	1610	1.46		5	3020	12.36		4	3535	51.21	
	2	1610	1.83		6	3020	13.24		5	4040	65.58	
	3	2012	2.18	250	1	2012	5.95		6	4040	72.97	
	4	2012	2.53		2	2517	8.41		1000	3	3535	89.20
	5	2012	2.88		3	2517	9.40			4	4040	75.76
	6	2012	3.23		4	3020	10.47	5		4545	91.63	
					5	3020	11.47	6		4545	101.45	
					6	3020	12.46					



### SPB - Section

This is NOT a comprehensive list.  
Please enquire for other sizes.

Pitch Diameter	No. of Grooves	Bush Number	Approx Weight (Kg)	Pitch Diameter	No. of Grooves	Bush Number	Approx Weight	Pitch Diameter	No. of Grooves	Bush Number	Approx Weight				
100	1	1610	0.80	212	1	2012	4.62	400	2	3020	15.17				
	2	1610	1.21		2	2517	8.78		3	3535	25.51				
	3	1610	1.63		3	2517	7.54		4	3535	28.79				
112	1	1610	1.14		4	3020	10.96		5	3535	32.10				
	2	1610	1.64		5	3020	12.20		6	3535	35.46				
	3	1610	2.17		6	3535	15.87	8	4040	44.32					
118	1	1610	1.32		8	3535	18.33	10	4040	50.20	450	2	3020	17.54	
	2	1610	1.86		224	1	2012	5.11	3	3535		28.44			
	3	1610	2.44	2		2517	6.87	4	3535	32.31					
125	1	1610	1.55	3		2517	8.18	5	3535	36.24					
	2	2012	2.08	4		3020	12.56	6	4040	46.04					
	3	2012	2.72	5		3020	13.87	8	4040	52.08					
	4	2012	3.35	6		3535	18.54	10	4545	65.62					
5	2012	3.65	8	3535		21.17	10	3535	23.79	500	2	3020	20.73		
132	1	1610	1.79	10		3535	23.79	1	2012		5.62	3	3535	32.60	
	2	2012	2.42	236		2	2517	7.46	2		2517	7.46	4	3535	37.60
	3	2012	3.10			3	2517	8.85	3		2517	8.85	5	3535	42.72
	4	2012	3.78		4	3020	14.23	4	3020		14.23	6	4040	53.69	
	5	2517	3.25		5	3535	19.96	5	3535	19.96	8	4040	62.03		
140	1	1610	2.09		6	3535	21.36	6	3535	21.36	10	4545	76.34		
	2	1610	2.83		8	3535	24.14	8	3535	24.14	560	2	3030	25.79	
	3	2010	3.56		10	3535	26.93	10	3535	26.93		3	3535	36.72	
	4	2517	4.02		250	1	2012	7.16	1	2012		7.16	4	3535	42.61
	5	2517	4.69			2	2517	9.01	2	2517		9.01	5	4040	54.47
	6	2517	5.35			3	3020	10.88	3	3020		10.88	6	4040	60.50
150	1	1610	2.48	4		3020	13.00	4	3020	13.00	8	4545	76.19		
	2	2012	3.37	5		3535	23.34	5	3535	23.34	10	4545	85.87		
	3	2517	4.17	6		3535	24.83	6	3535	24.83	630	2	3030	32.00	
	4	2517	4.97	8		3535	27.80	8	3535	27.80		3	3535	43.87	
	5	2517	5.77	10		3535	30.78	10	3535	30.78		4	3535	50.90	
	6	2517	6.56	280		1	2012	8.99	1	2012		8.99	5	4040	63.86
160	1	1610	2.90			2	2517	11.05	2	2517		11.05	6	4040	71.09
	2	2012	3.94		3	3020	13.11	3	3020	13.11	8	4545	88.38		
	3	2517	4.98		4	3020	15.82	4	3020	15.82	10	4545	99.79		
	4	2517	5.84		5	3535	23.47	5	3535	23.47	710	3	3535	51.18	
	5	2517	6.71		6	3535	25.16	6	3535	25.16		4	3535	59.85	
	6	3020	6.70		8	3535	28.54	8	3535	28.54		5	4040	74.42	
8	3020	8.42	10		3535	32.53	10	3535	32.53	6		4040	83.35		
170	1	1610	3.35		300	2	2517	12.52	2	2517		12.52	8	4545	103.31
	2	2012	4.56			3	3020	14.72	3	3020	14.72	10	4545	117.47	
	3	2517	5.84	4		3020	17.84	4	3020	17.84	800	3	3535	61.40	
	4	2517	6.77	5		3535	25.63	5	3535	25.63		4	4040	77.46	
	5	3020	6.91	6		3535	27.45	6	3535	27.45		5	4040	87.85	
	6	3020	7.84	8		3535	31.10	8	3535	31.10		6	4545	104.35	
	8	3030	12.01	315		1	2012	11.39	1	2012		11.39	8	4545	120.73
	180	1	1610			3.22	2	2517	13.68	2	2517	13.68	10	4545	137.32
2		2517	5.73			3	3020	15.78	3	3020	15.78	900	3	3535	70.82
3		2517	6.75			4	3535	25.49	4	3535	25.49		4	4040	88.56
4		2517	7.75		5	3535	27.32	5	3535	27.32	5		4545	106.71	
5		3020	8.04		6	3535	29.25	6	3535	29.25	6		4545	119.01	
6		3020	9.04		8	3535	33.10	8	3535	33.10	8		4545	138.00	
8		3030	13.72		10	3535	38.07	10	3535	38.07	10	5050	165.94		
190		1	2012		3.79	335	2	2517	15.31	2	2517	15.31	1000	3	4040
	2	2517	6.61		3		3020	17.75	3	3020	17.75	4		4040	105.18
	3	2517	7.72	4	3535		27.62	4	3535	27.62	5	4545		125.24	
	4	2517	8.78	5	3535		29.68	5	3535	29.68	6	4545		139.59	
	5	3020	9.24	6	3535		31.74	6	3535	31.74	8	5050		170.14	
	6	3020	10.30	8	3535		35.86	8	3535	35.86	10	5050	192.10		
	8	3030	15.52	10	4040		42.61	10	4040	42.61	1250	3	4040	126.07	
	200	1	2012	4.17	355		2	3020	12.60	2		3020	12.60	4	4545
2		2517	7.59	3			3020	45.43	3	3020		45.43	5	4545	169.71
3		2517	6.92	4			3535	29.96	4	3535		29.96	6	5050	197.90
4		3020	9.03	5		3535	27.39	5	3535	27.39		8	5050	226.64	
5		3020	10.61	6		3535	34.35	6	3535	34.35					
6		3020	11.76	8		3535	38.74	8	3535	38.74					
8		3535	15.65												

